

CHLOROMETHYL METHYL ETHER FOR SYNTHESIS MSDS

CAS-No.: 107-30-2 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
:
EC-No. : 203-480-1
CAS-No. : 107-30-2
Product code : 2763E

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial
For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, H225
Category 2
Acute toxicity (oral), H302
Category 4
Acute toxicity (dermal), H312
Category 4
Acute toxicity (inhal.), H332
Category 4
Serious eye damage/eye irritation, Category 2 H319
Carcinogenicity, Category 1A H350

Full text of H statements : see section 16

CHLOROMETHYL METHYL ETHER For Synthesis

Safety Data Sheet

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.1; R45

F; R11

Xn; R20/21/22

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

GHS07

GHS08

Signal word (CLP)

: Danger

Hazard statements (CLP)

: H225 - Highly flammable liquid and vapour.
H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled
H319 - Causes serious eye irritation.
H350 - May cause cancer.

Precautionary statements (CLP)

: P201 - Obtain special instructions before use.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280 - Wear protective gloves, protective clothing, eye protection, face protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 - IF exposed or concerned: Get medical advice/attention.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : CHLOROMETHYL METHYL ETHER For Synthesis
CAS-No. : 107-30-2
EC-No. : 203-480-1

Full text of R- and H-statements: see section 16

3.2. Mixtures

Not applicable

CHLOROMETHYL METHYL ETHER For Synthesis

Safety Data Sheet

SECTION 4: First aid measures

4.1. Description of first aid measures

- | | |
|---------------------------------------|--|
| First-aid measures after inhalation | : Assure fresh air breathing. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| First-aid measures after skin contact | : Immediately call a POISON CENTER/doctor. Wash with plenty of water/.... Wash contaminated clothing before reuse. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention. |
| First-aid measures after ingestion | : Rinse mouth. Call a POISON CENTER/doctor if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

- | | |
|-------------------------------------|---|
| Symptoms/effects after skin contact | : Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin. |
| Symptoms/effects after ingestion | : Swallowing a small quantity of this material will result in serious health hazard. |

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

- | | |
|--------------------------------|--|
| Suitable extinguishing media | : Carbon dioxide. Dry powder. Foam. Water spray. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

5.2. Special hazards arising from the substance or mixture

- | | |
|------------------|--|
| Fire hazard | : Flammable solid. |
| Explosion hazard | : May form flammable/explosive vapour-air mixture. |

5.3. Advice for firefighters

- | | |
|--------------------------------|---|
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. |
|--------------------------------|---|

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- | | |
|------------------|---|
| General measures | : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. |
|------------------|---|

6.1.1. For non-emergency personnel

- | | |
|----------------------|-----------------------------------|
| Emergency procedures | : Evacuate unnecessary personnel. |
|----------------------|-----------------------------------|

6.1.2. For emergency responders

- | | |
|----------------------|--|
| Protective equipment | : Use personal protective equipment as required. |
| Emergency procedures | : Ventilate area. |

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- | | |
|-------------------------|--|
| Methods for cleaning up | : Collect spillage. On land, sweep or shovel into suitable containers. |
|-------------------------|--|

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- | | |
|-----------------------------------|---|
| Additional hazards when processed | : Handle empty containers with care because residual vapours are flammable. |
|-----------------------------------|---|

CHLOROMETHYL METHYL ETHER For Synthesis

Safety Data Sheet

Precautions for safe handling	: Keep away from sources of ignition - No smoking. Avoid contact with skin and eyes. Do not breathe vapours. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment.
Storage conditions	: Keep container tightly closed. Keep in fireproof place.
Incompatible materials	: Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection	: Protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: [In case of inadequate ventilation] wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Molecular mass	: 80.51 g/mol
Colour	: Clear colorless to pale yellow.
Odour	: No data available
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 55 - 57 °C
Flash point	: 16 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available

CHLOROMETHYL METHYL ETHER For Synthesis

Safety Data Sheet

Flammability (solid, gas)	: Flammable solid.
Vapour pressure	: 244.6 hPa at 20°C
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.06 g/ml at 25°C
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Heat. Sparks.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Oral: Harmful if swallowed. Dermal: Harmful in contact with skin. Inhalation: Harmful if inhaled.
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.

CHLOROMETHYL METHYL ETHER For Synthesis

Safety Data Sheet

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

STOT-repeated exposure	: Not classified
------------------------	------------------

Aspiration hazard	: Not classified
-------------------	------------------

Potential adverse human health effects and symptoms	: Harmful if swallowed. Harmful in contact with skin.
---	---

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Additional information	: Handle empty containers with care because residual vapours are flammable.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: 1239
UN-No. (IMDG)	: 1239
UN-No. (IATA)	: 1239
UN-No. (ADN)	: 1239
UN-No. (RID)	: 1239

CHLOROMETHYL METHYL ETHER For Synthesis

Safety Data Sheet

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: METHYL CHLOROMETHYL ETHER
Proper Shipping Name (IMDG)	: METHYL CHLOROMETHYL ETHER
Proper Shipping Name (IATA)	: Methyl chloromethyl ether
Proper Shipping Name (ADN)	: METHYL CHLORO-METHYL ETHER
Proper Shipping Name (RID)	: METHYL CHLOROMETHYL ETHER
Transport document description (ADR)	: UN 1239 METHYL CHLOROMETHYL ETHER, 6.1 (3), I, (C/D)
Transport document description (IMDG)	: UN 1239 METHYL CHLOROMETHYL ETHER, 6.1 (3), I (< -18°C c.c.)
Transport document description (IATA)	: UN 1239 Methyl chloromethyl ether, 6.1, I
Transport document description (ADN)	: UN 1239 METHYL CHLORO-METHYL ETHER, 6.1 (3), I
Transport document description (RID)	: UN 1239 METHYL CHLOROMETHYL ETHER, 6.1 (3), I

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 6.1 (3)
Danger labels (ADR)	: 6.1, 3



IMDG

Transport hazard class(es) (IMDG)	: 6.1 (3)
Danger labels (IMDG)	: 6.1, 3



IATA

Transport hazard class(es) (IATA)	: 6.1 (3)
Hazard labels (IATA)	: 6.1, 3



ADN

Transport hazard class(es) (ADN)	: 6.1 (3)
Danger labels (ADN)	: 6.1, 3



RID

Transport hazard class(es) (RID)	: 6.1 (3)
----------------------------------	-----------

CHLOROMETHYL METHYL ETHER For Synthesis

Safety Data Sheet

Danger labels (RID) : 6.1, 3



14.4. Packing group

Packing group (ADR) : I
Packing group (IMDG) : I
Packing group (IATA) : I
Packing group (ADN) : I
Packing group (RID) : I

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : TF1
Special provisions (ADR) : 354
Limited quantities (ADR) : 0
Excepted quantities (ADR) : E0
Packing instructions (ADR) : P602
Mixed packing provisions (ADR) : MP8, MP17
Portable tank and bulk container instructions (ADR) : T22
Portable tank and bulk container special provisions (ADR) : TP2, TP35
Tank code (ADR) : L15CH
Tank special provisions (ADR) : TU14, TU15, TE19, TE21
Vehicle for tank carriage : FL
Transport category (ADR) : 1
Special provisions for carriage - Loading, unloading and handling (ADR) : CV1, CV13, CV28
Special provisions for carriage - Operation (ADR) : S2, S9, S14
Hazard identification number (Kemler No.) : 663
Orange plates :



Tunnel restriction code (ADR) : C/D
EAC code : 3WE
APP code : A(fl)

- Transport by sea

Special provisions (IMDG) : 354
Limited quantities (IMDG) : 0
Excepted quantities (IMDG) : E0
Packing instructions (IMDG) : P602
Tank instructions (IMDG) : T22

CHLOROMETHYL METHYL ETHER For Synthesis

Safety Data Sheet

Tank special provisions (IMDG)	: TP2, TP13, TP35
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: D
Stowage and handling (IMDG)	: SW2
Flash point (IMDG)	: below -18°C c.c.
MFAG-No	: 131

- Air transport

PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: Forbidden
PCA max net quantity (IATA)	: Forbidden
CAO packing instructions (IATA)	: Forbidden
CAO max net quantity (IATA)	: Forbidden
ERG code (IATA)	: 6F

- Inland waterway transport

Classification code (ADN)	: TF1
Special provisions (ADN)	: 354, 802
Limited quantities (ADN)	: 0
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EP, EX, TOX, A
Ventilation (ADN)	: VE01, VE02
Number of blue cones/lights (ADN)	: 2

- Rail transport

Classification code (RID)	: TF1
Special provisions (RID)	: 354
Limited quantities (RID)	: 0
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P602
Mixed packing provisions (RID)	: MP8, MP17
Portable tank and bulk container instructions (RID)	: T22
Portable tank and bulk container special provisions (RID)	: TP2, TP35
Tank codes for RID tanks (RID)	: L15CH
Special provisions for RID tanks (RID)	: TU14, TU15, TU38, TE21, TE22, TE25
Transport category (RID)	: 1
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW28, CW31
Hazard identification number (RID)	: 663

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

CHLOROMETHYL METHYL ETHER For Synthesis is not on the REACH Candidate List

CHLOROMETHYL METHYL ETHER For Synthesis is not on the REACH Annex XIV List

CHLOROMETHYL METHYL ETHER For Synthesis

Safety Data Sheet

15.1.2. National regulations

Germany

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : CHLOROMETHYL METHYL ETHER For Synthesis is listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

Denmark

Class for fire hazard : Class I-1

Store unit : 1 liter

Classification remarks : F <Flam. Liq. 2>; Emergency management guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product
The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Carc. 1A	Carcinogenicity, Category 1A
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.

CHLOROMETHYL METHYL ETHER For Synthesis

Safety Data Sheet

H312	Harmful in contact with skin.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H350	May cause cancer.
R11	Highly flammable
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R45	May cause cancer
F	Highly flammable
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product