


CAS-No.: 1319-77-3 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
:
CAS-No. : 1319-77-3
Product code : 3005D
Formula : C₇H₈O
Chemical structure : 
Synonyms : Cresylic acid

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial
For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H301
Category 3
Acute toxicity (dermal), H311
Category 3
Acute toxicity (inhal.), H331
Category 3
Skin corrosion/irritation, H314
Category 1B
Germ cell mutagenicity, H341
Category 2

Full text of H statements : see section 16

CRESOL MIXED ISOMERS

Safety Data Sheet

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Muta.Cat.3; R68

T; R24/25

Xn; R20

C; R34

R52/53

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

:



GHS05



GHS06



GHS08

Signal word (CLP)

: Danger

Hazard statements (CLP)

: H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled
H314 - Causes severe skin burns and eye damage.
H341 - Suspected of causing genetic defects.

Precautionary statements (CLP)

: P261 - Avoid breathing vapours, spray, dust, fume, gas.
P280 - Wear protective gloves, protective clothing, eye protection, face protection.
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER/doctor

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : CRESOL MIXED ISOMERS

CAS-No. : 1319-77-3

Full text of R- and H-statements: see section 16

3.2. Mixtures

Not applicable

CRESOL MIXED ISOMERS

Safety Data Sheet

SECTION 4: First aid measures

4.1. Description of first aid measures

- | | |
|---------------------------------------|---|
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. |
| First-aid measures after skin contact | : Wash with plenty of water/.... Wash contaminated clothing before reuse. Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. |
| First-aid measures after ingestion | : Rinse mouth. Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. |

4.2. Most important symptoms and effects, both acute and delayed

- | | |
|-------------------------------------|--|
| Symptoms/effects | : Suspected of causing genetic defects. Causes severe skin burns and eye damage. |
| Symptoms/effects after inhalation | : Toxic if inhaled. |
| Symptoms/effects after skin contact | : Toxic in contact with skin. |
| Symptoms/effects after ingestion | : Toxic if swallowed. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- | | |
|--------------------------------|--|
| Suitable extinguishing media | : Carbon dioxide. Foam. Water spray. Dry powder. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

- | | |
|--------------------------------|---|
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. |
|--------------------------------|---|

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- | | |
|----------------------|-----------------------------------|
| Emergency procedures | : Evacuate unnecessary personnel. |
|----------------------|-----------------------------------|

6.1.2. For emergency responders

- | | |
|----------------------|--|
| Protective equipment | : Use personal protective equipment as required. |
| Emergency procedures | : Ventilate area. |

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- | | |
|-------------------------|--|
| Methods for cleaning up | : Collect spillage. On land, sweep or shovel into suitable containers. |
|-------------------------|--|

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- | | |
|-------------------------------|---|
| Precautions for safe handling | : Avoid contact with skin and eyes. Do not breathe vapours. Provide good ventilation in process area to prevent formation of vapour. |
| Hygiene measures | : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. |

CRESOL MIXED ISOMERS

Safety Data Sheet

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : Protective gloves
Eye protection : Chemical goggles or face shield
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Molecular mass : 108.14 g/mol
Colour : Dark brown coloured liquid.
Odour : No data available
Odour threshold : No data available
pH : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point : -2 °C
Freezing point : No data available
Boiling point : 88 - 94 °C
Flash point : 82 °C
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available
Relative density : No data available
Density : 1.04 g/cm³

CRESOL MIXED ISOMERS

Safety Data Sheet

Solubility	: Water: 1.932 g/100ml
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Heat. High temperature. Moisture. Open flame. Overheating.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Thermal decomposition generates : Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation: Toxic if inhaled.

Skin corrosion/irritation : Causes severe skin burns and eye damage.
Serious eye damage/irritation : Serious eye damage, category 1, implicit
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Suspected of causing genetic defects.
Carcinogenicity : Not classified

Reproductive toxicity : Not classified
STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

CRESOL MIXED ISOMERS

Safety Data Sheet

Potential adverse human health effects and symptoms : Toxic if swallowed. Toxic in contact with skin.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

CRESOL MIXED ISOMERS (1319-77-3)

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Ecology - waste materials	: Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: 2076
UN-No. (IMDG)	: 2076
UN-No. (IATA)	: 2076
UN-No. (ADN)	: 2076
UN-No. (RID)	: 2076

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: CRESOLS, LIQUID
Proper Shipping Name (IMDG)	: CRESOLS, LIQUID
Proper Shipping Name (IATA)	: Cresols, liquid
Proper Shipping Name (ADN)	: CRESOLS, LIQUID

CRESOL MIXED ISOMERS

Safety Data Sheet

Proper Shipping Name (RID)	: CRESOLS, LIQUID
Transport document description (ADR)	: UN 2076 CRESOLS, LIQUID, 6.1 (8), II, (D/E)
Transport document description (IMDG)	: UN 2076 CRESOLS, LIQUID, 6.1 (8), II
Transport document description (IATA)	: UN 2076 Cresols, liquid, 6.1, II
Transport document description (ADN)	: UN 2076 CRESOLS, LIQUID, 6.1 (8), II
Transport document description (RID)	: UN 2076 CRESOLS, LIQUID, 6.1 (8), II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 6.1 (8)
Danger labels (ADR)	: 6.1, 8



IMDG

Transport hazard class(es) (IMDG)	: 6.1 (8)
Danger labels (IMDG)	: 6.1, 8



IATA

Transport hazard class(es) (IATA)	: 6.1 (8)
Hazard labels (IATA)	: 6.1, 8



ADN

Transport hazard class(es) (ADN)	: 6.1 (8)
Danger labels (ADN)	: 6.1, 8



RID

Transport hazard class(es) (RID)	: 6.1 (8)
Danger labels (RID)	: 6.1, 8



CRESOL MIXED ISOMERS

Safety Data Sheet

14.4. Packing group

Packing group (ADR)	: II
Packing group (IMDG)	: II
Packing group (IATA)	: II
Packing group (ADN)	: II
Packing group (RID)	: II


14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR)	: TC1
Limited quantities (ADR)	: 100ml
Excepted quantities (ADR)	: E4
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP2
Tank code (ADR)	: L4BH
Tank special provisions (ADR)	: TU15, TE19
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13, CV28
Special provisions for carriage - Operation (ADR)	: S9, S19
Hazard identification number (Kemler No.)	: 68
Orange plates	:



Tunnel restriction code (ADR)	: D/E
EAC code	: •2X

- Transport by sea

Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP2
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: B
Properties and observations (IMDG)	: Colourless to light yellow liquids. Miscible with water. Melting point of meta-CRESOL: 12°C. Toxic if swallowed, by skin contact or by inhalation. Cause burns to skin, eyes and mucous membranes.
MFAG-No	: 153

- Air transport

PCA Excepted quantities (IATA)	: E4
PCA Limited quantities (IATA)	: Y640

CRESOL MIXED ISOMERS

Safety Data Sheet

PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 653
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 660
CAO max net quantity (IATA)	: 30L
ERG code (IATA)	: 6C

- Inland waterway transport

Classification code (ADN)	: TC1
Special provisions (ADN)	: 802
Limited quantities (ADN)	: 100 ml
Excepted quantities (ADN)	: E4
Equipment required (ADN)	: PP, EP, TOX, A
Ventilation (ADN)	: VE02
Number of blue cones/lights (ADN)	: 2

- Rail transport

Classification code (RID)	: TC1
Excepted quantities (RID)	: E4
Packing instructions (RID)	: P001, IBC02
Mixed packing provisions (RID)	: MP15
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions (RID)	: TP2
Tank codes for RID tanks (RID)	: L4BH
Special provisions for RID tanks (RID)	: TU15
Transport category (RID)	: 2
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW28, CW31
Colis express (express parcels) (RID)	: CE5
Hazard identification number (RID)	: 68

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

CRESOL MIXED ISOMERS is not on the REACH Candidate List

CRESOL MIXED ISOMERS is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

CRESOL MIXED ISOMERS

Safety Data Sheet

Reference to AwSV	: Water hazard class (WGK) 1, low hazard to water (Classification according to AwSV; ID No. 7088)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen	: The substance is not listed
SZW-lijst van mutagene stoffen	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: The substance is not listed

Denmark

Class for fire hazard	: Class III-1
Store unit	: 50 liter
Classification remarks	: Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed
Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Muta. 2	Germ cell mutagenicity, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects.
R20	Harmful by inhalation
R24/25	Toxic in contact with skin and if swallowed
R34	Causes burns
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R68	Possible risk of irreversible effects
C	Corrosive

CRESOL MIXED ISOMERS

Safety Data Sheet

T	Toxic
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product