CAS-No.: 106-89-8 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Substance

EC Index-No. : 603-026-00-6 EC-No. : 203-439-8 CAS-No. : 106-89-8 : 00129 Product code Formula C3H5CIO

Chemical structure

Synonyms : 1-Chloro-2,3-epoxypropane

Relevant identified uses of the substance or mixture and uses advised against 1.2.

Relevant identified uses 1.2.1.

Industrial/Professional use spec : Industrial

For professional use only

Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries 1st Floor, Above Bank of India, Guru Vihar, Rahon Road, Ludhiana Pb. (141007) +91 9316777775, +91 7707855700 sales@labogens.com - www.Labogens.com

Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Carcinogenicity, Category H350

Acute toxicity (dermal), H311 Category 3 H331 Acute toxicity (inhal.), Category 3

H301 Acute toxicity (oral),

Category 3

09/04/2015 1/12 www.Labogens.com

Safety Data Sheet

Skin corrosion/irritation, H314

Category 1B

Serious eye damage/eye

H318

irritation, Category 1 Flammable liquids,

H226

Category 3
Skin sensitisation,

H317

Category 1

Full text of H statements: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.2; R45 T; R23/24/25 C; R34 R43 R10

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



E.S.





GHS06

GHS05

GHS08

GHS02

Signal word (CLP) : Danger

Hazard statements (CLP) : H226 - Flammable liquid and vapour.

H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled

H314 - Causes severe skin burns and eye damage. H317 - May cause an allergic skin reaction.

H350 - May cause cancer.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER/doctor

2.3. Other hazards

No additional information available

www.Labogens.com 09/04/2015 2/12

Safety Data Sheet

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : EPICHLOROHYDRIN FOR SYNTHESIS

CAS-No. : 106-89-8 EC-No. : 203-439-8 EC Index-No. : 603-026-00-6

Full text of R- and H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

First-aid measures after skin contact : Take off immediately all contaminated clothing. Rinse skin with water/shower.

Immediately call a POISON CENTER/doctor. Wash with plenty of water/.... Specific measures (see supplemental first aid instruction on this label). Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see supplemental first aid instruction on this label).

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

First-aid measures after ingestion : Rinse mouth. Immediately call a POISON CENTER/doctor. Specific treatment (see

supplemental first aid instruction on this label). Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage. May cause cancer.

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : Repeated exposure to this material can result in absorption through skin causing

significant health hazard. Toxic in contact with skin.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : Toxic if swallowed. Swallowing a small quantity of this material will result in serious

health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

No additional information available

www.Labogens.com 09/04/2015 3/12

Safety Data Sheet

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open

flames. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills

with inert solids, such as clay or diatomaceous earth as soon as possible.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling

: No open flames. No smoking. Take precautionary measures against static

discharge. Use only non-sparking tools. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid breathing

dust/fume/gas/mist/vapours/spray. Obtain special instructions before use. Do not

handle until all safety precautions have been read and understood.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands, forearms and face

thoroughly after handling. Wash contaminated clothing before reuse. Contaminated

work clothing should not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Comply with applicable regulations.

Storage conditions : Keep container tightly closed. Store in original container. Store in a dry place.

Protect from moisture.

Incompatible materials : Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

www.Labogens.com 09/04/2015 4/12

Safety Data Sheet

8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or face shield
Skin and body protection : Wear suitable protective clothing

Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Molecular mass : 92.53 g/mol Colour : Clear Colorless.

Odour : chloroform-like odor.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : -57 °C

Freezing point : No data available

Boiling point : 115 - 117

Flash point : 32 °C

Auto-ignition temperature : 4160 °C

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable liquid and vapour.

Vapour pressure : 12.5 mm Hg at 200C

Relative vapour density at 20 °C : 3.3

Relative density : No data available

Density : 1.18 g/cm³

Solubility : Water: Moderate (1-10%)

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : 0.038 - 0.21 vol %

9.2. Other information

No additional information available

www.Labogens.com 09/04/2015 5/12

Safety Data Sheet

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases. Thermal decomposition generates: Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Dermal: Toxic in contact with skin. Inhalation: Toxic if inhaled. Oral: Toxic if

swallowed.

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : May cause cancer.

Reproductive toxicity : Not classified STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects : Toxic if swi

and symptoms

: Toxic if swallowed. Toxic in contact with skin.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

www.Labogens.com 09/04/2015 6/12

Safety Data Sheet

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Additional information

: Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials

: Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 2023 UN-No. (IMDG) : 2023 UN-No. (IATA) : 2023 UN-No. (ADN) : 2023 UN-No. (RID) : 2023

14.2. UN proper shipping name

Proper Shipping Name (ADR) : EPICHLOROHYDRIN
Proper Shipping Name (IMDG) : EPICHLOROHYDRIN
Proper Shipping Name (IATA) : Epichlorohydrin
Proper Shipping Name (ADN) : EPICHLOROHYDRIN
Proper Shipping Name (RID) : EPICHLOROHYDRIN

Transport document description (ADR) : UN 2023 EPICHLOROHYDRIN, 6.1 (3), II, (D/E)

Transport document description (IMDG) : UN 2023 EPICHLOROHYDRIN, 6.1 (3), II, MARINE POLLUTANT (32°C c.c.)

Transport document description (IATA) : UN 2023 Epichlorohydrin, 6.1, II

Transport document description (ADN) : UN 2023 EPICHLOROHYDRIN, 6.1 (3), II Transport document description (RID) : UN 2023 EPICHLOROHYDRIN, 6.1 (3), II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 6.1 (3)
Danger labels (ADR) : 6.1, 3

www.Labogens.com 09/04/2015 7/12

Safety Data Sheet



IMDG

Transport hazard class(es) (IMDG) : 6.1 (3)
Danger labels (IMDG) : 6.1, 3



IATA

Transport hazard class(es) (IATA) : 6.1 (3) Hazard labels (IATA) : 6.1, 3



ADN

Transport hazard class(es) (ADN) : 6.1 (3)
Danger labels (ADN) : 6.1, 3



RID

Transport hazard class(es) (RID) : 6.1 (3)
Danger labels (RID) : 6.1, 3



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : Yes (IMDG only)

Other information : No supplementary information available

www.Labogens.com 09/04/2015 8/12

Safety Data Sheet

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : TF1
Special provisions (ADR) : 279
Limited quantities (ADR) : 100ml
Excepted quantities (ADR) : E4

Packing instructions (ADR) : P001, IBC02 Mixed packing provisions (ADR) : MP15

Portable tank and bulk container

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : L4BH

Tank special provisions (ADR) : TU15, TE19
Vehicle for tank carriage : FL

Transport category (ADR) : 2

Special provisions for carriage - Loading,

unloading and handling (ADR)

Special provisions for carriage - Operation : S2, S9, S19

(ADR)

Hazard identification number (Kemler No.) : 63

Orange plates

63 2023

: CV13, CV28

: T7

: TP2

Tunnel restriction code (ADR) : D/E
EAC code : •3W
APP code : A(fl)

- Transport by sea

Special provisions (IMDG) : 279

Limited quantities (IMDG) : 100 ml

Excepted quantities (IMDG) : E4

Packing instructions (IMDG) : P001

IBC packing instructions (IMDG) : IBC02

Tank instructions (IMDG) : T7

Tank special provisions (IMDG) : TP2, TP13

EmS-No. (Fire) : F-E

EmS-No. (Spillage) : S-D

Stowage category (IMDG) : A

Stowage and handling (IMDG) : SW2

Flash point (IMDG) : approximately 32°C c.c.

MFAG-No : 131P

- Air transport

PCA Excepted quantities (IATA) : E4
PCA Limited quantities (IATA) : Y641
PCA limited quantity max net quantity : 1L
(IATA)

PCA packing instructions (IATA) : 654
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 662
CAO max net quantity (IATA) : 60L
Special provisions (IATA) : A113

www.Labogens.com 09/04/2015 9/12

Safety Data Sheet

ERG code (IATA) : 6F

- Inland waterway transport

Classification code (ADN) : TF1

Special provisions (ADN) : 279, 802

Limited quantities (ADN) : 100 ml

Excepted quantities (ADN) : E4

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP, EX, TOX, A

Ventilation (ADN) : VE01, VE02

Number of blue cones/lights (ADN) : 2

- Rail transport

Classification code (RID) : TF1
Special provisions (RID) : 279
Limited quantities (RID) : 100ml
Excepted quantities (RID) : E4

Packing instructions (RID) : P001, IBC02

Mixed packing provisions (RID) : MP15
Portable tank and bulk container : T7

instructions (RID)

Portable tank and bulk container special

provisions (RID)

Tank codes for RID tanks (RID) : L4BH
Special provisions for RID tanks (RID) : TU15
Transport category (RID) : 2

Special provisions for carriage - Loading,

unloading and handling (RID)

: CW13, CW28, CW31

Colis express (express parcels) (RID) : CE5 Hazard identification number (RID) : 63

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: TP2

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

EPICHLOROHYDRIN FOR SYNTHESIS is not on the REACH Candidate List FPICHLOROHYDRIN FOR SYNTHESIS is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 3, severe hazard to water (Classification according to

AwSV; ID No. 92)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BlmSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

www.Labogens.com 09/04/2015 10/12

Safety Data Sheet

Netherlands

SZW-lijst van kankerverwekkende stoffen : EPICHLOROHYDRIN FOR SYNTHESIS is listed

SZW-lijst van mutagene stoffen : The substance is not listed NIET-limitatieve lijst van voor de : The substance is not listed

voortplanting giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de

: The substance is not listed

voortplanting giftige stoffen –

Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling

: The substance is not listed

Denmark

Class for fire hazard : Class II-1 Store unit : 5 liter

Classification remarks : R10 <H226;H301+H311+H331;H314;H317;H350>; Emergency management

guidelines for the storage of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-. H- and EUH-statements:

tuil text of it, if and Eoff diatemente.	
Acute toxicity (dermal), Category 3	
Acute toxicity (inhal.), Category 3	
Acute toxicity (oral), Category 3	
Carcinogenicity, Category 1B	
Serious eye damage/eye irritation, Category 1	
Flammable liquids, Category 3	
Skin corrosion/irritation, Category 1B	
Skin sensitisation, Category 1	
Flammable liquid and vapour.	
Toxic if swallowed.	
Toxic in contact with skin.	
Causes severe skin burns and eye damage.	
May cause an allergic skin reaction.	
Causes serious eye damage.	
Toxic if inhaled.	
May cause cancer.	
Flammable	
Toxic by inhalation, in contact with skin and if swallowed	
Causes burns	
May cause sensitisation by skin contact	

www.Labogens.com 09/04/2015 11/12

Safety Data Sheet

R45	May cause cancer
С	Corrosive
Т	Toxic

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 09/04/2015 12/12