# FURFURAL FOR SYNTHESIS MSDS

CAS-No.: 98-01-1 MSDS



# **MATERIAL SAFETY DATA SHEET (MSDS)**

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Substance

:

EC Index-No. : 605-010-00-4
EC-No. : 202-627-7
CAS-No. : 98-01-1
Product code : 03892
Formula : C5H4O2

Chemical structure

 $\bigcup_{O} \mathsf{H}$ 

Synonyms : 2-Furaldehyde

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

## 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

## 1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (inhal.), H331 Category 3 Acute toxicity (oral), H301

Acute toxicity (oral), H30<sup>-7</sup> Category 3

Acute toxicity (dermal), H312

Category 4

www.Labogens.com 17/06/2016 1/11

# Safety Data Sheet

Carcinogenicity, Category H351

2

Serious eye damage/eye H319 irritation, Category 2 Skin corrosion/irritation, H315

Category 2

Specific target organ H335

toxicity — Single exposure, Category 3, Respiratory tract irritation

Full text of H statements: see section 16

### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Carc.Cat.3; R40 T; R23/25 Xn; R21 Xi; R36/37/38

Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS06

GHS08

Signal word (CLP) : -

Hazard statements (CLP) : H301+H331 - Toxic if swallowed or if inhaled

H312 - Harmful in contact with skin. H315 - Causes skin irritation. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation. H351 - Suspected of causing cancer.

Precautionary statements (CLP) : P261 - Avoid breathing dust, fume, gas, vapours, spray, mist.

P280 - Wear protective gloves, protective clothing, eye protection, face protection. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P311 - Call a POISON CENTER/doctor

## 2.3. Other hazards

No additional information available

www.Labogens.com 17/06/2016 2/11

# Safety Data Sheet

## **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Name : FURFURAL FOR SYNTHESIS

CAS-No. : 98-01-1 EC-No. : 202-627-7 EC Index-No. : 605-010-00-4

Full text of R- and H-statements: see section 16

### 3.2. Mixtures

Not applicable

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Suspected of causing cancer.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a POISON

CENTER/doctor if you feel unwell.

First-aid measures after skin contact : Immediately call a POISON CENTER/doctor. Specific measures (see supplemental first aid instruction on this label). Wash with plenty of water/.... Wash contaminated

clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific

treatment (see supplemental first aid instruction on this label).

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

First-aid measures after ingestion : Rinse mouth. Obtain emergency medical attention. Immediately call a POISON

CENTER/doctor. Specific treatment (see supplemental first aid instruction on this

label).

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Harmful in contact with skin. Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye irritation.

Symptoms/effects after ingestion : Toxic if swallowed.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Foam. Dry powder. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

# 5.2. Special hazards arising from the substance or mixture

No additional information available

## 5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

www.Labogens.com 17/06/2016 3/11

# Safety Data Sheet

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers.

### 6.4. Reference to other sections

No additional information available

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions

have been read and understood. Use only outdoors or in a well-ventilated area.

Avoid contact with skin and eyes. Do not breathe vapours.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed

areas with mild soap and water before eating, drinking or smoking and when leaving

work.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed.

## 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

No additional information available

# 8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing

Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Colorless to brown.

www.Labogens.com 17/06/2016 4/11

# Safety Data Sheet

Odour : almond odor.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : -36 °C

Freezing point : No data available

Boiling point :  $162 \, ^{\circ}\text{C}$  Flash point :  $60 \, ^{\circ}\text{C}$ 

Auto-ignition temperature : 316 °C

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : 2.3 hPa at 20 °C

Relative vapour density at 20 °C : 3.32

Relative density : No data available

Density : 1.16 g/cm³
Solubility : Water: Soluble

Log Pow : 0.41

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : 2.1 - 19.3 vol %

# 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

No additional information available

## 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

## 10.5. Incompatible materials

Strong acids. Strong bases.

www.Labogens.com 17/06/2016 5/11

# Safety Data Sheet

## 10.6. Hazardous decomposition products

No additional information available

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Inhalation: Toxic if inhaled. Oral: Toxic if swallowed. Dermal: Harmful in contact with

skin.

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified

Carcinogenicity : Suspected of causing cancer.

Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Harmful in contact with skin. Toxic if swallowed.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

No additional information available

## 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

FURFURAL FOR SYNTHESIS (98-01-1)	
Log Pow	0.41

### 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

www.Labogens.com 17/06/2016 6/11

# Safety Data Sheet

### 12.6. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Product/Packaging disposal

Ecology - waste materials

recommendations

: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

: Hazardous waste due to toxicity.

### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR) : 1199 UN-No. (IMDG) : 1199 UN-No. (IATA) : 1199 UN-No. (ADN) : 1199 UN-No. (RID) : 1199

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : FURALDEHYDES
Proper Shipping Name (IMDG) : FURALDEHYDES
Proper Shipping Name (IATA) : Furaldehydes
Proper Shipping Name (ADN) : FURALDEHYDES
Proper Shipping Name (RID) : FURALDEHYDES

Transport document description (ADR) : UN 1199 FURALDEHYDES, 6.1 (3), II, (D/E) Transport document description (IMDG) : UN 1199 FURALDEHYDES, 6.1 (3), II

Transport document description (IATA) : UN 1199 Furaldehydes, 6.1, II

Transport document description (ADN) : UN 1199 FURALDEHYDES, 6.1 (3), II Transport document description (RID) : UN 1199 FURALDEHYDES, 6.1 (3), II

## 14.3. Transport hazard class(es)

## **ADR**

Transport hazard class(es) (ADR) : 6.1 (3)
Danger labels (ADR) : 6.1, 3



### **IMDG**

Transport hazard class(es) (IMDG) : 6.1 (3)
Danger labels (IMDG) : 6.1, 3



## **IATA**

Transport hazard class(es) (IATA) : 6.1 (3)

www.Labogens.com 17/06/2016 7/11

# Safety Data Sheet

Hazard labels (IATA) : 6.1, 3



### ADN

Transport hazard class(es) (ADN) : 6.1 (3)
Danger labels (ADN) : 6.1, 3



# RID

Transport hazard class(es) (RID) : 6.1 (3)
Danger labels (RID) : 6.1, 3



## 14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

## 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

# 14.6. Special precautions for user

## - Overland transport

Classification code (ADR) : TF1
Limited quantities (ADR) : 100ml
Excepted quantities (ADR) : E4

Packing instructions (ADR) : P001, IBC02
Mixed packing provisions (ADR) : MP15
Portable tank and bulk container : T7

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

: TP2

Tank code (ADR) : L4BH
Tank special provisions (ADR) : TU15, TE19

Vehicle for tank carriage : FL Transport category (ADR) : 2

www.Labogens.com 17/06/2016 8/11

# Safety Data Sheet

Special provisions for carriage - Loading, : CV13, CV28

unloading and handling (ADR)

Special provisions for carriage - Operation : S2, S9, S19

(ADR)

Hazard identification number (Kemler No.) : 63

Orange plates

63 1199

Tunnel restriction code (ADR) : D/E EAC code : •3Y

## - Transport by sea

Limited quantities (IMDG) : 100 ml Excepted quantities (IMDG) : F4 : P001 Packing instructions (IMDG) IBC packing instructions (IMDG) : IBC02 Tank instructions (IMDG) : T7 : TP2 Tank special provisions (IMDG) EmS-No. (Fire) : F-E : S-D EmS-No. (Spillage) Stowage category (IMDG) : A

Properties and observations (IMDG) : Colourless or reddish-brown, mobile liquids with a pungent odour. Miscible with

water. Explosive limits for 2-FURALDEHYDE: 2.1% to 19.3%. Flashpoints: 2-FURALDEHYDE 60°C c.c., 3-FURALDEHYDE 48°C c.c. Toxic if swallowed, by skin

contact or by inhalation.

MFAG-No : 132P

## - Air transport

PCA Excepted quantities (IATA) : E4
PCA Limited quantities (IATA) : Y641
PCA limited quantity max net quantity : 1L

(IATA)

PCA packing instructions (IATA) : 654
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 662
CAO max net quantity (IATA) : 60L
ERG code (IATA) : 6F

## - Inland waterway transport

Classification code (ADN) : TF1

Special provisions (ADN) : 802

Limited quantities (ADN) : 100 ml

Excepted quantities (ADN) : E4

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP, EX, TOX, A

: T7

Ventilation (ADN) : VE01, VE02

Number of blue cones/lights (ADN) : 2

### - Rail transport

Classification code (RID) : TF1 Excepted quantities (RID) : E4

Packing instructions (RID) : P001, IBC02 Mixed packing provisions (RID) : MP15

Portable tank and bulk container

instructions (RID)

www.Labogens.com 17/06/2016 9/11

# Safety Data Sheet

Portable tank and bulk container special : TP2

provisions (RID)

Tank codes for RID tanks (RID) : L4BH
Special provisions for RID tanks (RID) : TU15
Transport category (RID) : 2

Special provisions for carriage - Loading,

unloading and handling (RID)

: CW13, CW28, CW31

Colis express (express parcels) (RID) : CE5
Hazard identification number (RID) : 63

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

FURFURAL FOR SYNTHESIS is not on the REACH Candidate List FURFURAL FOR SYNTHESIS is not on the REACH Annex XIV List

### 15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 2, significant hazard to water (Classification according to

AwSV; ID No. 113)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BlmSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

**Netherlands** 

SZW-lijst van kankerverwekkende stoffen : The substance is not listed SZW-lijst van mutagene stoffen : The substance is not listed NIET-limitatieve lijst van voor de : The substance is not listed

voortplanting giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting giftige stoffen –

Vruchtbaarheid

: The substance is not listed

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen – Ontwikkeling

: The substance is not listed

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management

guidelines for the storage of flammable liquids must be followed

www.Labogens.com 17/06/2016 10/11

# Safety Data Sheet

Recommendations Danish Regulation

: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

## 15.2. Chemical safety assessment

No additional information available

# **SECTION 16: Other information**

### Full text of R- H- and FUH-statements:

Full text of R-, H- and EUH-statements.	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Carc. 2	Carcinogenicity, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H301	Toxic if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
R21	Harmful in contact with skin
R23/25	Toxic by inhalation and if swallowed
R36/37/38	Irritating to eyes, respiratory system and skin
R40	Limited evidence of a carcinogenic effect
Т	Toxic
Xi	Irritant
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 17/06/2016 11/11