CAS No: 617-89-0 MSDS LABOGEN'S

## MATERIAL SAFETY DATA SHEET (MSDS)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product form : Substance

CAS No : 617-89-0 Product code : 3893D Formula : C5H7NO

Synonyms : 2-Aminomethylfuran

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Use of the substance/mixture : Industrial. For professional use only.

#### 1.2.2. Uses advised against

No additional information available

#### Details of the supplier of the safety data sheet 1.3.

Labogens Fine Chem Industries 1st Floor, Above Bank of India, Guru Vihar, Rahon Road, Ludhiana Pb. (141007) +91 9316777775, +91 7707855700

sales@labogens.com - www.Labogens.com

#### **Emergency telephone number**

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

#### **SECTION 2: Hazards identification**

### Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, H314

Category 1B

Flammable liquids,

H226

Category 3

H312

Acute toxicity (dermal), Category 4

Acute toxicity (oral),

H302

Category 4

Full text of classification categories and H statements : see section 16

18/06/2016 1/10 www.Labogens.com Version: 1

## Safety Data Sheet

#### Classification according to Directive 67/548/EEC or 1999/45/EC

Xn; R21/22 C; R34 R10

Full text of R-phrases: see section 16

## Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS05

GHS02

GHS07

Signal word (CLP) : Danger

Hazard statements (CLP) : H226 - Flammable liquid and vapour

H302+H312 - Harmful if swallowed or in contact with skin H314 - Causes severe skin burns and eye damage

Precautionary statements (CLP) : P280 - Wear protective gloves, protective clothing, eye protection, face protection

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician

### 2.3. Other hazards

No additional information available

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Name : FURFURYLAMINE FOR SYNTHESIS

CAS No : 617-89-0

Full text of R- and H-phrases: see section 16

#### 3.2. Mixture

Not applicable

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician.

www.Labogens.com Version: 1 18/06/2016 2/10

## Safety Data Sheet

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower. Immediately call a POISON CENTER or doctor/physician. Specific measures (see ... on this label). Wash with plenty of soap and water. Wash

contaminated clothing before reuse.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

First-aid measures after ingestion : Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell. Do

NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after skin contact : Repeated exposure to this material can result in absorption through skin causing

significant health hazard. Harmful in contact with skin.

Symptoms/injuries after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Foam. Dry powder. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked

lights. No smoking.

## 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

## 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills

with inert solids, such as clay or diatomaceous earth as soon as possible.

#### 6.4. Reference to other sections

No additional information available

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

www.Labogens.com Version: 1 18/06/2016 3/10

## Safety Data Sheet

Precautions for safe handling : No naked lights. No smoking. Take precautionary measures against static discharge.

Use only non-sparking tools. Do not breathe gas, fume, spray, vapours. Avoid

contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash ... thoroughly after

handling. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting/... equipment. Comply with applicable regulations.

Storage conditions : Keep container tightly closed.

Incompatible materials : Heat sources.

#### 7.3. Specific end use(s)

No additional information available

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or face shield Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear respiratory protection

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Colorless to straw.

Odour : No data available

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : -70 °C

Freezing point : No data available

Boiling point : 145 - 146 °C

Flash point : 37 °C

Auto-ignition temperature : 350 °C

Decomposition temperature : No data available

www.Labogens.com Version: 1 18/06/2016 4/10

## Safety Data Sheet

Flammability (solid, gas) : Flammable

Flammable liquid and vapour

Vapour pressure : 4 mbar at 20 C

Relative vapour density at 20 °C : 3.35

Relative density : No data available

Density : 1.0502 g/cm<sup>3</sup>

Relative gas density : 3.35

Solubility : Water: Miscible in water

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

#### 9.2. Other information

No additional information available

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

## 10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks.

#### 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

May release flammable gases. Thermal decomposition generates: Corrosive vapours.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Dermal: Harmful in contact with skin. Oral: Harmful if swallowed.

Skin corrosion/irritation : Causes severe skin burns and eye damage. Serious eye damage/irritation : Serious eye damage, category 1, implicit

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

www.Labogens.com Version: 1 18/06/2016 5/10

## Safety Data Sheet

Reproductive toxicity
Specific target organ toxicity (single

exposure)

: Not classified: Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Harmful if swallowed. Harmful in contact with skin.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

#### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose of contents/container to ...

Additional information : Handle empty containers with care because residual vapours are flammable.

#### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR) : 2526 UN-No. (IMDG) : 2526

www.Labogens.com Version: 1 18/06/2016 6/10

## Safety Data Sheet

UN-No.(IATA) : 2526

UN-No.(ADN) : Not regulated UN-No. (RID) : Not regulated

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : FURFURYLAMINE
Proper Shipping Name (IMDG) : FURFURYLAMINE
Proper Shipping Name (IATA) : FURFURYLAMINE
Proper Shipping Name (ADN) : Not regulated
Proper Shipping Name (RID) : Not regulated

Transport document description (ADR) : UN 2526 FURFURYLAMINE, 3 (8), III, (D/E)
Transport document description (IMDG) : UN 2526 FURFURYLAMINE, 3 (8), III (37°C o.c.)

Transport document description (IATA) : UN 2526 FURFURYLAMINE, 3 (8), III

#### 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 3 (8)
Danger labels (ADR) : 3, 8



#### **IMDG**

Transport hazard class(es) (IMDG) : 3 (8)
Danger labels (IMDG) : 3, 8



#### IATA

Transport hazard class(es) (IATA) : 3 (8) Hazard labels (IATA) : 3, 8



## **ADN**

Transport hazard class(es) (ADN) : Not regulated

**RID** 

Transport hazard class(es) (RID) : Not regulated

#### 14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III

Packing group (ADN) : Not regulated

www.Labogens.com Version: 1 18/06/2016 7/10

## Safety Data Sheet

Packing group (RID) : Not regulated

#### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

#### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : FC
Limited quantities (ADR) : 5L
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container : T4

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

: TP1

Tank code (ADR) : L4BN
Vehicle for tank carriage : FL
Transport category (ADR) : 3
Special provisions for carriage - Packages : V12

(ADR)

Special provisions for carriage - Operation : S2

(ADR)

Hazard identification number (Kemler No.) : 38

Orange plates

38 2526

Tunnel restriction code (ADR) : D/E
EAC code : •2W
APP code : A(fl)

#### - Transport by sea

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 : P001 Packing instructions (IMDG) IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1 EmS-No. (Fire) : F-F EmS-No. (Spillage) : S-C Stowage category (IMDG) : SW2 Stowage and handling (IMDG) Flash point (IMDG) : 37°C o.c. MFAG-No : 132

## - Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y342
PCA limited quantity max net quantity : 1L
(IATA)

PCA packing instructions (IATA) : 354
PCA max net quantity (IATA) : 5L

www.Labogens.com Version: 1 18/06/2016 8/10

## Safety Data Sheet

CAO packing instructions (IATA) : 365
CAO max net quantity (IATA) : 60L
ERG code (IATA) : 3C

#### - Inland waterway transport

Not regulated

#### - Rail transport

Not regulated

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

FURFURYLAMINE FOR SYNTHESIS is not on the REACH Candidate List FURFURYLAMINE FOR SYNTHESIS is not on the REACH Annex XIV List

#### 15.1.2. National regulations

#### Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 1, slightly hazardous to water (Classification according to

VwVwS, Annex 3; WGK No 7647)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### Denmark

Class for fire hazard : Class II-1 Store unit : 5 liter

Classification remarks : R10 <H226;H302+H312;H314>; Emergency management guidelines for the storage

of flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

#### 15.2. Chemical safety assessment

No additional information available

#### **SECTION 16: Other information**

www.Labogens.com Version: 1 18/06/2016 9/10

Safety Data Sheet

## Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
R10	Flammable
R21/22	Harmful in contact with skin and if swallowed
R34	Causes burns
С	Corrosive
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com Version: 1 18/06/2016 10/10