

CAS No: 107-41-5 MSDS

MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1.	Product identifier		
Produ	ct form	:	Substance
		:	
EC inc	lex no	:	603-053-00-3
EC no		:	203-489-0
CAS N	lo	:	107-41-5
Produ	ct code	:	04055
Formu	la	:	C6H14O2

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture

: Industrial. For professional use only.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier	of the safety data sheet	
Labogens Fine Chem Industries		
1st Floor, Above Bank of India, (uru Vihar , Rahon Road,	
Ludhiana Pb. (141007)		
+91 9316777775, +91 77078557		
sales@labogens.com - www.Labogens.com		
1.4. Emergency telephone	number	
Emergency number	: +91 7707855700 (9:00am - 6:00 pm)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye H319 irritation, Category 2 Skin corrosion/irritation, H315 Category 2

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

Xi; R36/38 Full text of R-phrases: see section 16 Safety Data Sheet

Adverse physicochemical, human health and environmental effects

No additional information available

2.2.	Label elements	
Labelli	ng according to Regulation (E	C) No. 1272/2008 [CLP]
Hazard	pictograms (CLP)	GHS07
Signal	word (CLP)	: Warning
Hazard	statements (CLP)	: H315 - Causes skin irritation H319 - Causes serious eye irritation
Precau	tionary statements (CLP)	: P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

2.3.	Other	hazard	s
------	-------	--------	---

No additional information available

SECTION 3: Composition/information on ingredients		
3.1. Substance		
Name	: HEXYLENE GLYCOL FOR SYNTHESIS	
CAS No	: 107-41-5	
EC no	: 203-489-0	
EC index no	: 603-053-00-3	

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measu	Ires		
First-aid measures after inhalation	: Remove person to fresh air an	d keep comfortable for breathing.	
First-aid measures after skin contact	: Wash with plenty of soap and medical advice/attention.	water. Wash contaminated clothing bef	ore reuse. Get
First-aid measures after eye contact		several minutes. Remove contact lens ng. Get medical advice/attention.	ses, if present
First-aid measures after ingestion	: Rinse mouth. Get medical adv	ce/attention.	
4.2. Most important symptoms an	d effects, both acute and delayed		
Symptoms/injuries after skin contact	: Causes skin irritation.		
Symptoms/injuries after eye contact	: Causes serious eye irritation.		
www.Labogens.com	Version: 1	28/06/2016	2/8

Safety Data Sheet

4.3. Indication of any immediate med	dical attention and special treatment needed	
No additional information available		
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Water spray. Foam. Dry powder. Carbon dioxide.	
Unsuitable extinguishing media	: Do not use a heavy water stream.	
5.2. Special hazards arising from the	substance or mixture	
No additional information available		
5.3. Advice for firefighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment.	
SECTION 6: Accidental release measure		
SECTION 6. ACCIDENTAL TELEASE MEASURE	5	
6.1. Personal precautions, protective	e equipment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders	Lles personal protective equipment of required	
Protective equipment	: Use personal protective equipment as required.	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for contai	nment and cleaning up	
Methods for cleaning up	: Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills	
	with inert solids, such as clay or diatomaceous earth as soon as possible.	
6.4. Reference to other sections		
No additional information available		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Avoid contact with skin and eyes. Do not breathe vapours.	
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating,	
	drinking or smoking and when leaving work.	
7.2. Conditions for safe storage, incl	uding any incompatibilities	
Storage conditions	: Keep container tightly closed.	
7.3. Specific end use(s)		
No additional information available		
SECTION 8: Exposure controls/personal	protection	
8.1. Control parameters		
No additional information available		

Safety Data Sheet

8.2. Exposure controls			
Hand protection	: protective gloves		
Eye protection	: Chemical goggles or safety glasses		
Skin and body protection	: Wear suitable protective clothing		
Respiratory protection	: Wear respiratory protection		
SECTION 9: Physical and chemical prop			
9.1. Information on basic physical an Physical state	nd chemical properties : Liquid		
Colour	: Clear colorless viscous.		
Odour	: sweetish odour.		
Odour threshold	: No data available		
рН	:6.0 - 8.0 at 118,2 g/l at 25 °C		
Relative evaporation rate (butylacetate=1)	: No data available		
Melting point	: -40 °C		
Freezing point	: No data available		
Boiling point	: 197 °C		
Flash point	: 94 °C		
Auto-ignition temperature	: 305.85 °C		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: No data available		
Vapour pressure	:0.03 hPa at 20 °C		
Relative vapour density at 20 °C	: 4.08		
Relative density	: No data available		
Density Solubility	: 0.925 g/cm³ at 25 °C : Water: 118.2 g/l at 20 °C		
Log Pow	: -0.14		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
Explosive properties	: No data available		
Oxidising properties	: No data available		
Explosive limits	: 1.3 - 7.4 vol %		
9.2. Other information			
No additional information available			
SECTION 10: Stability and reactivity			
10.1. Reactivity			
No additional information available	Version 4	20/06/2016	4/0
www.Labogens.com	Version: 1	28/06/2016	4/8

Safety Data Sheet

10.2. Chemical stability	
No additional information available	
10.3. Possibility of hazardous reaction	ons
No additional information available	
10.4. Conditions to avoid	
Direct sunlight. Extremely high or low temp	peratures.
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition prod	lucts
No additional information available	
SECTION 11: Toxicological information	
11.1. Information on toxicological eff	ects
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation. pH: 6.0 - 8.0 at 118,2 g/l at 25 °C
Serious eye damage/irritation	: Causes serious eye irritation. pH: 6.0 - 8.0 at 118,2 g/l at 25 °C
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity No additional information available

12.2. Persistence and degradability

No additional information available

Safety Data Sheet

HEXYLENE GLYCOL FOR SYNTHE	SIS (107-41-5)		
Log Pow	-0.14		
12.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB as	sessment		
No additional information available			
12.6. Other adverse effects			
No additional information available			
SECTION 13: Disposal consideration	S		
13.1. Waste treatment methods No additional information available			
SECTION 14: Transport information			
In accordance with ADR / RID / IMDG /	IATA / ADN		
14.1. UN number	· Not applicable		
UN-No. (ADR) UN-No. (IMDG)	: Not applicable : Not applicable		
UN-No.(IATA)	: Not applicable		
UN-No.(ADN)	: Not applicable		
UN-No. (RID)	: Not applicable		
14.2. UN proper shipping name			
Proper Shipping Name (ADR)	: Not applicable		
Proper Shipping Name (IMDG)	: Not applicable		
Proper Shipping Name (IATA)	: Not applicable		
Proper Shipping Name (ADN)	: Not applicable		
Proper Shipping Name (RID)	: Not applicable		
14.3. Transport hazard class(es)			
ADR			
Transport hazard class(es) (ADR)	: Not applicable		
IMDG			
Transport hazard class(es) (IMDG)	: Not applicable		
ΙΑΤΑ			
Transport hazard class(es) (IATA)	: Not applicable		
ADN			
Transport hazard class(es) (ADN)	: Not applicable		
RID			
Transport hazard class(es) (RID)	: Not applicable		
www.Labogens.com	Version: 1	28/06/2016	6/8

Safety Data Sheet

14.4. Packing group	
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport

No data available

- Transport by sea

No data available

- Air transport

No data available

- Inland waterway transport

No data available

- Rail transport

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions HEXYLENE GLYCOL FOR SYNTHESIS is not on the REACH Candidate List HEXYLENE GLYCOL FOR SYNTHESIS is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference	: Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS, Annex 3; WGK No 5025)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Denmark

Safety Data Sheet

Class for fire hazard	: Class III-1
Store unit	: 50 liter
Classification remarks	: Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H315	Causes skin irritation
H319	Causes serious eye irritation
R36/38	Irritating to eyes and skin
Xi	Irritant

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product