LEAD (METAL) FOIL EXTRA PURE MSDS

CAS No: 7439-92-1 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Substance

CAS No : 7439-92-1 Product code : 04352

Relevant identified uses of the substance or mixture and uses advised against 1.2.

Relevant identified uses 1.2.1.

Use of the substance/mixture : Industrial. For professional use only

1.2.2. **Uses advised against**

No additional information available

Details of the supplier of the safety data sheet

Labogens Fine Chem Industries 1st Floor, Above Bank of India, Guru Vihar, Rahon Road, Ludhiana Pb. (141007) +91 9316777775, +91 7707855700 sales@labogens.com - www.Labogens.com

Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H302 Category 4 Acute toxicity H332 (inhalation:gas) Category

Reproductive toxicity,

H360Df

Category 1A

Specific target organ H373

toxicity — Repeated exposure, Category 2

Hazardous to the aquatic H410

environment — Chronic Hazard, Category 1

Full text of classification categories and H statements : see section 16

09/04/2015 1/11 www.Labogens.com

Safety Data Sheet

Classification according to Directive 67/548/EEC or 1999/45/EC

Carc.Cat.3; R40 Repr.Cat.1; R61 Repr.Cat.3; R62 Xn; R48/20/22 N; R50/53 R33

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :







GHS07

GH

GHS

Signal word (CLP) : Danger

Hazard statements (CLP) : H302+H332 - Harmful if swallowed or if inhaled

H360Df - May damage the unborn child. Suspected of damaging fertility H373 - May cause damage to organs through prolonged or repeated exposure

H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP) : P201 - Obtain special instructions before use

P273 - Avoid release to the environment

P308+P313 - IF exposed or concerned: Get medical advice/attention

P501 - Dispose of contents/container to ...

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : LEAD (METAL) FOIL Extra Pure

CAS No : 7439-92-1

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

www.Labogens.com 09/04/2015 2/11

Safety Data Sheet

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or

artificial respiration if necessary. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously

with water for several minutes. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth out with water. If you feel unwell, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : May damage fertility or the unborn child. Suspected of damaging fertility or the

unborn child. Causes damage to organs through prolonged or repeated exposure.

Symptoms/injuries after inhalation : Harmful if inhaled.
Symptoms/injuries after ingestion : Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

No additional information available

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating,

drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place.

www.Labogens.com 09/04/2015 3/11

Safety Data Sheet

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing

Respiratory protection : Wear appropriate mask

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Colour : Grey foil.

Odour : No data available

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 327.4 °C

Freezing point : No data available

Boiling point : 17400 °C

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : 11.3 g/cm³

Solubility : Water: Insoluble in water

Log Pow : No data available

Viscosity, kinematic : No data available

www.Labogens.com 09/04/2015 4/11

Safety Data Sheet

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Inhalation:gas: Harmful if inhaled.

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : May damage the unborn child. Suspected of damaging fertility.

Specific target organ toxicity (single

exposure)

: Not classified

Specific target organ toxicity (repeated

exposure)

 $: \ \, \text{May cause damage to organs through prolonged or repeated exposure}.$

Additional information : There are potential chronic health effects to consider

Aspiration hazard : Not classified

www.Labogens.com 09/04/2015 5/11

Safety Data Sheet

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

LEAD (METAL) FOIL Extra Pure (7439-92-1)

Persistence and degradability May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose of contents/container to ...

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

 UN-No. (ADR)
 : 3077

 UN-No. (IMDG)
 : 3077

 UN-No.(IATA)
 : 3077

 UN-No.(ADN)
 : 3077

 UN-No. (RID)
 : 3077

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Proper Shipping Name (IATA) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Proper Shipping Name (RID) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Transport document description (ADR) : UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III,

(E)

Transport document description (IMDG) : UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III,

MARINE POLLUTANT

Transport document description (IATA) : UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III

Transport document description (ADN) : UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III

www.Labogens.com 09/04/2015 6/11

Safety Data Sheet

Transport document description (RID) : UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 9
Danger labels (ADR) : 9



IMDG

Transport hazard class(es) (IMDG) : 9
Danger labels (IMDG) : 9



IATA

Transport hazard class(es) (IATA) : 9
Hazard labels (IATA) : 9



ADN

Transport hazard class(es) (ADN) : 9
Danger labels (ADN) : 9



RID

Transport hazard class(es) (RID) : 9
Danger labels (RID) : 9



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III

www.Labogens.com 09/04/2015 7/11

Safety Data Sheet

: 111 Packing group (RID)

Environmental hazards

Dangerous for the environment : Yes Marine pollutant : Yes

Other information : No supplementary information available

Special precautions for user

- Overland transport

Classification code (ADR) : M7

Special provision (ADR) : 274, 335, 601, 375

Limited quantities (ADR) : 5kg Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : PP12, B3 Mixed packing provisions (ADR) : MP10

instructions (ADR)

Portable tank and bulk container : T1, BK1, BK2

Portable tank and bulk container special

provisions (ADR)

: SGAV, LGBV Tank code (ADR)

Vehicle for tank carriage : AT Transport category (ADR) : 3

Special provisions for carriage - Packages : V13

(ADR)

Special provisions for carriage - Bulk : VC1, VC2

(ADR)

Special provisions for carriage - Loading, : CV13

unloading and handling (ADR)

Hazard identification number (Kemler No.)

Orange plates

90 3077

: TP33

Tunnel restriction code (ADR) : E EAC code : 2Z

- Transport by sea

Special provision (IMDG) : 274, 335, 966, 967, 969

Limited quantities (IMDG) : 5 kg Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P002, LP02 : PP12 Packing provisions (IMDG) IBC packing instructions (IMDG) : IBC08 IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : T1, BK1, BK2, BK3

Tank special provisions (IMDG) : TP33 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F : A Stowage category (IMDG) Stowage and handling (IMDG) : SW23 MFAG-No : 171

- Air transport

PCA Excepted quantities (IATA) : E1

www.Labogens.com 09/04/2015 8/11

Safety Data Sheet

PCA Limited quantities (IATA) : Y956 PCA limited quantity max net quantity : 30kgG

(IATA)

PCA packing instructions (IATA) : 956 PCA max net quantity (IATA) : 400kg CAO packing instructions (IATA) : 956 CAO max net quantity (IATA) : 400kg

Special provision (IATA) : A97, A158, A179, A197

ERG code (IATA) : 9L

- Inland waterway transport

Classification code (ADN) : M7

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 kg Excepted quantities (ADN) : E1 Carriage permitted (ADN) : T* B** Equipment required (ADN) : PP, A Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : M7

Special provision (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5kg : E1 Excepted quantities (RID)

: P002, IBC08, LP02, R001 Packing instructions (RID)

Special packing provisions (RID) : PP12. B3 Mixed packing provisions (RID) : MP10

Portable tank and bulk container : T1, BK1, BK2

instructions (RID)

Portable tank and bulk container special

provisions (RID)

: TP33

Tank codes for RID tanks (RID) : SGAV, LGBV

Transport category (RID) : 3 Special provisions for carriage - Packages : W13

(RID)

(RID)

Special provisions for carriage - Bulk : VC1, VC2

Special provisions for carriage - Loading : CW13, CW31

and unloading (RID)

Colis express (express parcels) (RID) : CE11 Hazard identification number (RID) : 90

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code 14.7.

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

LEAD (METAL) FOIL Extra Pure is not on the REACH Candidate List LEAD (METAL) FOIL Extra Pure is not on the REACH Annex XIV List

09/04/2015 9/11 www.Labogens.com

Safety Data Sheet

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) nwg, non-hazardous to water (KBwS-Beschluss; WGK

No 1443)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct

contact with the product

The requirements from the Danish Working Environment Authorities regarding work

with carcinogens must be followed during use and disposal

15.2. **Chemical safety assessment**

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Repr. 1A	Reproductive toxicity, Category 1A
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H302	Harmful if swallowed
H332	Harmful if inhaled
H360Df	May damage the unborn child. Suspected of damaging fertility
H373	May cause damage to organs through prolonged or repeated exposure
H410	Very toxic to aquatic life with long lasting effects
R33	Danger of cumulative effects
R40	Limited evidence of a carcinogenic effect
R48/20/22	Harmful: danger of serious damage to health by prolonged exposure through inhalation and if swallowed
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R61	May cause harm to the unborn child
R62	Possible risk of impaired fertility
N	Dangerous for the environment
Xn	Harmful

10/11 09/04/2015 www.Labogens.com

Safety Data Sheet

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 09/04/2015 11/11