

MAGNESIUM (METAL) RIBBON EXTRA PURE MSDS

CAS No: 7439-95-4 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
:
EC index no : 012-001-00-3
EC no : 231-104-6
CAS No : 7439-95-4
Product code : 04459

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Pyrophoric Solids, H250
Category 1
Substances and Mixtures H260
which, in contact with
water, emit flammable
gases, Category 1

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

F; R15
F; R17

MAGNESIUM (METAL) RIBBON Extra Pure

Safety Data Sheet

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

:



GHS02

Signal word (CLP)

: -

Hazard statements (CLP)

: H250 - Catches fire spontaneously if exposed to air
H260 - In contact with water releases flammable gases which may ignite spontaneously

Precautionary statements (CLP)

: P222 - Do not allow contact with air
P223 - Keep away from any possible contact with water, because of violent reaction and possible flash fire
P231+P232 - Handle under inert gas. Protect from moisture
P370+P378 - In case of fire: Use ... for extinction
P422 - Store contents under ...

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : MAGNESIUM (METAL) RIBBON Extra Pure
CAS No : 7439-95-4
EC no : 231-104-6
EC index no : 012-001-00-3

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. If you feel unwell, seek medical advice.
First-aid measures after skin contact : Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.

MAGNESIUM (METAL) RIBBON Extra Pure

Safety Data Sheet

First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. If you feel unwell, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: dry chemical powder, alcohol-resistant foam, carbon dioxide (CO ₂).
Unsuitable extinguishing media	: Do not use extinguishing media containing water.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Catches fire spontaneously if exposed to air.
-------------	---

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment.
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Do not allow contact with air.
------------------	----------------------------------

6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

6.1.2. For emergency responders

Protective equipment	: Use personal protective equipment as required.
Emergency procedures	: Stop release.

6.2. Environmental precautions

Do not allow water (or moist air) contact with this material.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Clean up immediately by sweeping or vacuum.
-------------------------	---

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable. Catches fire spontaneously if exposed to air. Keep away from any possible contact with water, because of violent reaction and possible flash fire.
Precautions for safe handling	: No naked lights. No smoking. Do not allow contact with air. Protect from moisture. Handle under inert gas.
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Store contents under ...
Storage conditions	: Store in a dry place. Protect from moisture.
Incompatible materials	: Heat sources. Keep away from any possible contact with water, because of violent reaction and possible flash fire.

MAGNESIUM (METAL) RIBBON Extra Pure

Safety Data Sheet

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection	: protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear appropriate mask

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Molecular mass	: 24.31 g/mol
Colour	: silver white.
Odour	: odourless.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 648 °C
Freezing point	: No data available
Boiling point	: 11000 °C
Flash point	: No data available
Auto-ignition temperature	: 4730 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Catches fire spontaneously if exposed to air, In contact with water releases flammable gases which may ignite spontaneously
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.74 g/cm³
Solubility	: Water: Insoluble in water
Log Pow	: No data available

MAGNESIUM (METAL) RIBBON Extra Pure

Safety Data Sheet

Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Catches fire spontaneously if exposed to air.

10.3. Possibility of hazardous reactions

Catches fire spontaneously if exposed to air. In contact with water releases flammable gases which may ignite spontaneously.

10.4. Conditions to avoid

Do not allow contact with air. Open flame. Overheating. Direct sunlight. Heat. Sparks.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

MAGNESIUM (METAL) RIBBON Extra Pure

Safety Data Sheet

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to ...

Additional information : Handle empty containers with care because residual vapours are flammable.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: 1869
UN-No. (IMDG)	: 1869
UN-No.(IATA)	: 1869
UN-No.(ADN)	: 1869
UN-No. (RID)	: 1869

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: MAGNESIUM
Proper Shipping Name (IMDG)	: MAGNESIUM
Proper Shipping Name (IATA)	: MAGNESIUM
Proper Shipping Name (ADN)	: MAGNESIUM
Proper Shipping Name (RID)	: MAGNESIUM
Transport document description (ADR)	: UN 1869 MAGNESIUM, 4.1, III, (E)
Transport document description (IMDG)	: UN 1869 MAGNESIUM, 4.1, III
Transport document description (IATA)	: UN 1869 MAGNESIUM, 4.1, III
Transport document description (ADN)	: UN 1869 MAGNESIUM, 4.1, III

MAGNESIUM (METAL) RIBBON Extra Pure

Safety Data Sheet

Transport document description (RID) : UN 1869 MAGNESIUM, 4.1, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 4.1
Danger labels (ADR) : 4.1



IMDG

Transport hazard class(es) (IMDG) : 4.1
Danger labels (IMDG) : 4.1



IATA

Transport hazard class(es) (IATA) : 4.1
Hazard labels (IATA) : 4.1



ADN

Transport hazard class(es) (ADN) : 4.1
Danger labels (ADN) : 4.1



RID

Transport hazard class(es) (RID) : 4.1
Danger labels (RID) : 4.1



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III

MAGNESIUM (METAL) RIBBON Extra Pure

Safety Data Sheet

Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : F3
Special provision (ADR) : 59
Limited quantities (ADR) : 5kg
Excepted quantities (ADR) : E1
Packing instructions (ADR) : P002, IBC08, LP02, R001
Special packing provisions (ADR) : B3
Mixed packing provisions (ADR) : MP11
Portable tank and bulk container instructions (ADR) : T1
Portable tank and bulk container special provisions (ADR) : TP33
Tank code (ADR) : SGAV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Bulk (ADR) : VC1, VC2
Hazard identification number (Kemler No.) : 40
Orange plates :



Tunnel restriction code (ADR) : E
EAC code : 1Z

- Transport by sea

Special provision (IMDG) : 59, 920
Limited quantities (IMDG) : 5 kg
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : P002, LP02
IBC packing instructions (IMDG) : IBC08
IBC special provisions (IMDG) : B3
Tank instructions (IMDG) : T1
Tank special provisions (IMDG) : TP33
EmS-No. (Fire) : F-G
EmS-No. (Spillage) : S-G
Stowage category (IMDG) : A
Stowage and handling (IMDG) : H1
Segregation (IMDG) : SG17, SG32, SG35, SG36, SG52, SG25, SG26
MFAG-No : 138

- Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y443
PCA limited quantity max net quantity (IATA) : 10kg

MAGNESIUM (METAL) RIBBON Extra Pure

Safety Data Sheet

PCA packing instructions (IATA)	: 446
PCA max net quantity (IATA)	: 25kg
CAO packing instructions (IATA)	: 449
CAO max net quantity (IATA)	: 100kg
Special provision (IATA)	: A15
ERG code (IATA)	: 3L

- Inland waterway transport

Classification code (ADN)	: F3
Special provisions (ADN)	: 59
Limited quantities (ADN)	: 5 kg
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0

- Rail transport

Classification code (RID)	: F3
Special provision (RID)	: 59
Limited quantities (RID)	: 5kg
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P002, IBC08, LP02, R001
Special packing provisions (RID)	: B3
Mixed packing provisions (RID)	: MP11
Portable tank and bulk container instructions (RID)	: T1
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W1
Special provisions for carriage – Bulk (RID)	: VC1, VC2
Colis express (express parcels) (RID)	: CE11
Hazard identification number (RID)	: 40

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

MAGNESIUM (METAL) RIBBON Extra Pure is not on the REACH Candidate List

MAGNESIUM (METAL) RIBBON Extra Pure is not on the REACH Annex XIV List

15.1.2. National regulations

MAGNESIUM (METAL) RIBBON Extra Pure

Safety Data Sheet

Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) nwg, non-hazardous to water (KBwS-Beschluss; WGK No 1443)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Pyr. Sol. 1	Pyrophoric Solids, Category 1
Water-react. 1	Substances and Mixtures which, in contact with water, emit flammable gases, Category 1
H250	Catches fire spontaneously if exposed to air
H260	In contact with water releases flammable gases which may ignite spontaneously
R15	Contact with water liberates extremely flammable gases
R17	Spontaneously flammable in air
F	Highly flammable

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product