MERCURY AMMONIATED EXTRA PURE **MSDS**

CAS No: 10124-48-8 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Substance

CAS No : 10124-48-8 : 04593 Product code

Synonyms : Amidomercury(II) chloride

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

Uses advised against

No additional information available

Details of the supplier of the safety data sheet

Labogens Fine Chem Industries 1st Floor, Above Bank of India, Guru Vihar, Rahon Road, Ludhiana Pb. (141007) +91 9316777775, +91 7707855700

sales@labogens.com - www.Labogens.com

Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), H300 Category 1

Acute toxicity (dermal), H310

Category 1

Acute toxicity (inhal.), H330

Category 2

Specific target organ H373

toxicity — Repeated exposure, Category 2

Hazardous to the aquatic H410

environment — Chronic Hazard, Category 1

Full text of classification categories and H statements : see section 16

09/04/2015 1/10 www.Labogens.com

Safety Data Sheet

Classification according to Directive 67/548/EEC or 1999/45/EC

T+; R26/27/28 N; R50/53 R33

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS06

GHSC

GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H300+H310+H330 - Fatal if swallowed, in contact with skin or if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP) : P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P264 - Wash ... thoroughly after handling P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P284 - [In case of inadequate ventilation] wear respiratory protection P301+P310 - IF SWALLOWED: immediately call a POISON CENTER or

doctor/physician

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Name : MERCURY AMMONIATED Extra Pure

CAS No : 10124-48-8

Full text of R- and H-phrases: see section 16

3.2. Mixture

Not applicable

www.Labogens.com 09/04/2015 2/10

Safety Data Sheet

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give oxygen or

artificial respiration if necessary. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Immediately call a POISON CENTER or doctor/physician. Specific measures (see ...

on this label). Gently wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously

with water for several minutes. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Immediately call a POISON CENTER or doctor/physician. Specific

treatment (see ... on this label).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes damage to organs through prolonged or repeated exposure.

Symptoms/injuries after inhalation : Fatal if inhaled

Symptoms/injuries after skin contact : Fatal in contact with skin.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : Fatal if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Very toxic to aquatic life with long lasting effects.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clear up rapidly by scoop or vacuum.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not get in eyes, on skin, or on clothing.

Hygiene measures : Wash ... thoroughly after handling. Do not eat, drink or smoke when using this

product.

www.Labogens.com 09/04/2015 3/10

Safety Data Sheet

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Keep container tightly closed. Store in a dry place.

Protect from moisture.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Boiling point

Flash point

Hand protection : protective gloves

Eye protection : Chemical goggles or safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Colour : White powder.

Odour : odourless.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : No data available

Freezing point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : No data available

Density : 5.4 g/cm³

Solubility : Water: Insoluble in water

www.Labogens.com 09/04/2015 4/10

: No data available

: No data available

Safety Data Sheet

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

: No data available **Explosive limits**

Other information 9.2.

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

Conditions to avoid

Direct sunlight. Air contact. Moisture.

Incompatible materials

No additional information available

Hazardous decomposition products 10.6.

No additional information available

SECTION 11: Toxicological information

Information on toxicological effects 11.1.

Acute toxicity : Oral: Fatal if swallowed. Dermal: Fatal in contact with skin. Inhalation: Fatal if

inhaled.

: Not classified Skin corrosion/irritation : Not classified Serious eye damage/irritation Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified : Not classified Carcinogenicity

: Not classified Reproductive toxicity Specific target organ toxicity (single : Not classified

Specific target organ toxicity (repeated

exposure)

: May cause damage to organs through prolonged or repeated exposure.

exposure) Additional information : There are potential chronic health effects to consider

09/04/2015 5/10 www.Labogens.com

Safety Data Sheet

Aspiration hazard : Not classified

Potential adverse human health effects

and symptoms

: Fatal if swallowed. Fatal in contact with skin.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

MERCURY AMMONIATED Extra Pure (10124-48-8)

Persistence and degradability May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose of contents/container to ...

Ecology - waste materials : Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1630 UN-No. (IMDG) : 1630 UN-No.(IATA) : 1630 UN-No.(ADN) : 1630 UN-No. (RID) : 1630

14.2. UN proper shipping name

Proper Shipping Name (ADR) : MERCURY AMMONIUM CHLORIDE
Proper Shipping Name (IMDG) : MERCURY AMMONIUM CHLORIDE
Proper Shipping Name (IATA) : MERCURY AMMONIUM CHLORIDE

www.Labogens.com 09/04/2015 6/10

Safety Data Sheet

Proper Shipping Name (ADN) : MERCURY AMMONIUM CHLORIDE Proper Shipping Name (RID) : MERCURY AMMONIUM CHLORIDE

Transport document description (ADR) : UN 1630 MERCURY AMMONIUM CHLORIDE, 6.1, II, (D/E), ENVIRONMENTALLY

HAZARDOUS

Transport document description (IMDG) : UN 1630 MERCURY AMMONIUM CHLORIDE, 6.1, II, MARINE

POLLUTANT/ENVIRONMENTALLY HAZARDOUS

Transport document description (IATA) : UN 1630 MERCURY AMMONIUM CHLORIDE, 6.1, II, ENVIRONMENTALLY

HAZARDOUS

Transport document description (ADN) : UN 1630 MERCURY AMMONIUM CHLORIDE, 6.1, II, ENVIRONMENTALLY

HAZARDOUS

Transport document description (RID) : UN 1630 MERCURY AMMONIUM CHLORIDE, 6.1, II, ENVIRONMENTALLY

HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 6.1 Danger labels (ADR) : 6.1



IMDG

Transport hazard class(es) (IMDG) : 6.1 Danger labels (IMDG) : 6.1



IATA

Transport hazard class(es) (IATA) : 6.1 Hazard labels (IATA) : 6.1



ADN

Transport hazard class(es) (ADN) : 6.1 Danger labels (ADN) : 6.1



RID

Transport hazard class(es) (RID) : 6.1 Danger labels (RID) : 6.1

www.Labogens.com 09/04/2015 7/10

Safety Data Sheet



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : T5
Limited quantities (ADR) : 500g
Excepted quantities (ADR) : E4

Packing instructions (ADR) : P002, IBC08

Special packing provisions (ADR) : B4

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container : T3

instructions (ADR)

Portable tank and bulk container special

provisions (ADR)

Tank code (ADR) : SGAH

Tank special provisions (ADR) : TU15, TE19

Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages : V11

ADD)

(ADR)

Special provisions for carriage - Loading,

unloading and handling (ADR)

: CV13, CV28

: TP33

Special provisions for carriage - Operation : S9, S19

(ADR)

Hazard identification number (Kemler No.) : 60

Orange plates

60 1630

Tunnel restriction code (ADR) : D/E EAC code : 2X

- Transport by sea

Limited quantities (IMDG) : 500 g
Excepted quantities (IMDG) : E4
Packing instructions (IMDG) : P002
IBC packing instructions (IMDG) : IBC08
IBC special provisions (IMDG) : B2, B4
Tank instructions (IMDG) : T3

www.Labogens.com 09/04/2015 8/10

Safety Data Sheet

Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-A
Stowage category (IMDG)	: A
MFAG-No	: 151

- Air transport

PCA Excepted quantities (IATA) : E4
PCA Limited quantities (IATA) : Y644
PCA limited quantity max net quantity : 1kg

(IATA)

PCA packing instructions (IATA) : 669
PCA max net quantity (IATA) : 25kg
CAO packing instructions (IATA) : 676
CAO max net quantity (IATA) : 100kg
ERG code (IATA) : 6L

- Inland waterway transport

Classification code (ADN) : T5

Special provisions (ADN) : 802

Limited quantities (ADN) : 500 g

Excepted quantities (ADN) : E4

Equipment required (ADN) : PP, EP

Number of blue cones/lights (ADN) : 2

- Rail transport

Classification code (RID) : T5
Limited quantities (RID) : 500g
Excepted quantities (RID) : E4

Packing instructions (RID) : P002, IBC08

Special packing provisions (RID) : B4

Mixed packing provisions (RID) : MP10

Portable tank and bulk container : T3

instructions (RID)

Portable tank and bulk container special

provisions (RID)

Tank codes for RID tanks (RID) : SGAH
Special provisions for RID tanks (RID) : Tu15
Transport category (RID) : 2
Special provisions for carriage – Packages : W11

(RID)

Special provisions for carriage – Loading : CW13, CW28, CW31

and unloading (RID)

Colis express (express parcels) (RID) : CE9
Hazard identification number (RID) : 60

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: TP33

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

MERCURY AMMONIATED Extra Pure is not on the REACH Candidate List MERCURY AMMONIATED Extra Pure is not on the REACH Annex XIV List

www.Labogens.com 09/04/2015 9/10

Safety Data Sheet

15.1.2. National regulations

Germany

Immission Control Act - 12.BImSchV

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Denmark

Recommendations Danish Regulation

: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. **Chemical safety assessment**

No additional information available

SECTION 16: Other information

Full text of R-. H- and FUH-phrases:

Tull text of it-, it- and Corr-privases.	
Acute Tox. 1 (Dermal)	Acute toxicity (dermal), Category 1
Acute Tox. 1 (Oral)	Acute toxicity (oral), Category 1
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H300	Fatal if swallowed
H310	Fatal in contact with skin
H330	Fatal if inhaled
H373	May cause damage to organs through prolonged or repeated exposure
H410	Very toxic to aquatic life with long lasting effects
R26/27/28	Very toxic by inhalation, in contact with skin and if swallowed
R33	Danger of cumulative effects
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
N	Dangerous for the environment
T+	Very toxic

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

09/04/2015 10/10 www.Labogens.com