# POTASSIUM TERT-BUTOXIDE EXTRA **PURE MSDS**

CAS No: 865-47-4 MSDS



# **MATERIAL SAFETY DATA SHEET (MSDS)**

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product form : Substance

CAS No : 865-47-4 Product code : 05333

Chemical structure

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

#### 1.2.2. Uses advised against

No additional information available

## Details of the supplier of the safety data sheet

Labogens Fine Chem Industries 1st Floor, Above Bank of India, Guru Vihar, Rahon Road, Ludhiana Pb. (141007) +91 9316777775, +91 7707855700 sales@labogens.com - www.Labogens.com

**Emergency telephone number** 

**Emergency number** : +91 7707855700 (9:00am - 6:00 pm)

### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable solids, H228

Category 1

H252

Self-Heating Substances

and Mixtures, Category 2 Skin corrosion/irritation,

H314

Category 1A

Full text of classification categories and H statements : see section 16

09/04/2015 1/10 www.Labogens.com

# Safety Data Sheet

#### Classification according to Directive 67/548/EEC or 1999/45/EC

F; R11 C; R35 R14

Full text of R-phrases: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS02

GHS05

Signal word (CLP) : Danger

Hazard statements (CLP) : H228 - Flammable solid

H252 - Self-heating in large quantities; may catch fire H314 - Causes severe skin burns and eye damage

Precautionary statements (CLP) : P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P235 - Keep cool

P280 - Wear protective gloves/protective clothing/eye protection/face protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician

P420 - Store away from other materials P501 - Dispose of contents/container to ...

### 2.3. Other hazards

No additional information available

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substance

Name : POTASSIUM TERT-BUTOXIDE Extra Pure

CAS No : 865-47-4

Full text of R- and H-phrases: see section 16

#### 3.2. Mixture

Not applicable

www.Labogens.com 09/04/2015 2/10

### Safety Data Sheet

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with

water/shower. Immediately call a POISON CENTER or doctor/physician.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or

doctor/physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use extinguishing media containing water.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable solid.

Explosion hazard : May form flammable/explosive vapour-air mixture.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked

lights. No smoking.

### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

### 6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Stop release.

### 6.2. Environmental precautions

Do not allow water (or moist air) contact with this material.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clear up rapidly by scoop or vacuum.

#### 6.4. Reference to other sections

No additional information available

#### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling : No naked lights. No smoking. Do not breathe dust/fume/gas/mist/vapours/spray.

Avoid contact during pregnancy/while nursing.

Hygiene measures : Wash ... thoroughly after handling.

www.Labogens.com 09/04/2015 3/10

### Safety Data Sheet

Storage conditions

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting/... equipment. Comply with applicable regulations.

: Heat sources. Direct sunlight. Keep in fireproof place. Store in dry protected location

to prevent any moisture contact.

#### 7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Hand protection : protective gloves

Eye protection : Chemical goggles or face shield
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Molecular mass : 112.22 g/mol
Colour : White powder.

Odour : No data available

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 256 - 258

Freezing point : No data available

Boiling point : 2750 °C

Flash point : 2560 °C

Auto-ignition temperature : 3600 °C

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable solid

Vapour pressure : No data available

Relative vapour density at 20 °C : 3.9

www.Labogens.com 09/04/2015 4/10

### Safety Data Sheet

Relative density : No data available

Solubility : No data available

Log Pow : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

#### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Thermal decomposition generates: Corrosive vapours. Reacts violently with water.

### 10.2. Chemical stability

Flammable solid. May form flammable/explosive vapour-air mixture.

#### 10.3. Possibility of hazardous reactions

Highly reactive material. Reacts violently with water.

#### 10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks. Moisture.

#### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

May release flammable gases. Thermal decomposition generates: Corrosive vapours.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/irritation : Serious eye damage, category 1, implicit

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified Specific target organ toxicity (single : Not classified

exposure)

Specific target organ toxicity (repeated : Not classified

exposure)

www.Labogens.com 09/04/2015 5/10

# Safety Data Sheet

Aspiration hazard : Not classified

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

No additional information available

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose of contents/container to ...

Additional information : Handle empty containers with care because residual vapours are flammable. Do not

allow water (or moist air) contact with this material.

### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

# 14.1. UN number

UN-No. (ADR) : 3206 UN-No. (IMDG) : 3206 UN-No.(IATA) : 3206 UN-No.(ADN) : 3206 UN-No. (RID) : 3206

### 14.2. UN proper shipping name

Proper Shipping Name (ADR)

: ALKALI METAL ALCOHOLATES, SELF-HEATING, CORROSIVE, N.O.S.

Proper Shipping Name (IMDG)

: ALKALI METAL ALCOHOLATES, SELF-HEATING, CORROSIVE, N.O.S.

Proper Shipping Name (IATA)

: ALKALI METAL ALCOHOLATES, SELF-HEATING, CORROSIVE, N.O.S.

Proper Shipping Name (ADN)

: ALKALI METAL ALCOHOLATES, SELF-HEATING, CORROSIVE, N.O.S.

www.Labogens.com 09/04/2015 6/10

# Safety Data Sheet

Proper Shipping Name (RID) : ALKALI METAL ALCOHOLATES, SELF- HEATING, CORROSIVE, N.O.S.

Transport document description (ADR) : UN 3206 ALKALI METAL ALCOHOLATES, SELF-HEATING, CORROSIVE, N.O.S.,

4.2 (8), II, (D/E)

Transport document description (IMDG) : UN 3206 ALKALI METAL ALCOHOLATES, SELF-HEATING, CORROSIVE, N.O.S.,

4.2 (8), II

Transport document description (IATA) : UN 3206 ALKALI METAL ALCOHOLATES, SELF-HEATING, CORROSIVE, N.O.S.,

4.2, II

Transport document description (ADN) : UN 3206 ALKALI METAL ALCOHOLATES, SELF-HEATING, CORROSIVE, N.O.S.,

4.2 (8), II

Transport document description (RID) : UN 3206 ALKALI METAL ALCOHOLATES, SELF- HEATING, CORROSIVE, N.O.S.,

4.2 (8), II

### 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 4.2 (8)
Danger labels (ADR) : 4.2, 8



#### **IMDG**

Transport hazard class(es) (IMDG) : 4.2 (8)
Danger labels (IMDG) : 4.2, 8



#### IATA

Transport hazard class(es) (IATA) : 4.2 (8) Hazard labels (IATA) : 4.2, 8



### **ADN**

Transport hazard class(es) (ADN) : 4.2 (8)
Danger labels (ADN) : 4.2, 8



#### **RID**

Transport hazard class(es) (RID) : 4.2 (8)
Danger labels (RID) : 4.2, 8

www.Labogens.com 09/04/2015 7/10

### Safety Data Sheet



### 14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

#### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : SC4
Special provision (ADR) : 182, 274
Limited quantities (ADR) : 0
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P410, IBC05
Mixed packing provisions (ADR) : MP14
Portable tank and bulk container : T3

instructions (ADR)

Portable tank and bulk container special : TP33

provisions (ADR)

Tank code (ADR) : SGAN
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages : V1

(ADR)

Hazard identification number (Kemler No.) : 48

Orange plates

48 3206

Tunnel restriction code (ADR) : D/E EAC code : 1W

# - Transport by sea

Special provision (IMDG) : 182, 274

Limited quantities (IMDG) : 0 : E2 Excepted quantities (IMDG) Packing instructions (IMDG) : P410 : PP31 Packing provisions (IMDG) IBC packing instructions (IMDG) : IBC05 : B2 IBC special provisions (IMDG) Tank instructions (IMDG) : T3 Tank special provisions (IMDG) : TP33 : F-A EmS-No. (Fire) : S-J EmS-No. (Spillage)

www.Labogens.com 09/04/2015 8/10

### Safety Data Sheet

Stowage category (IMDG) : B
MFAG-No : 136

#### - Air transport

PCA Excepted quantities (IATA) : E2

PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity : Forbidden

(IATA)

PCA packing instructions (IATA) : 466
PCA max net quantity (IATA) : 15kg
CAO packing instructions (IATA) : 470
CAO max net quantity (IATA) : 50kg
Special provision (IATA) : A3, A84
ERG code (IATA) : 4C

#### - Inland waterway transport

Classification code (ADN) : SC4

Special provisions (ADN) : 182, 274

Limited quantities (ADN) : 0

Excepted quantities (ADN) : E2

Equipment required (ADN) : PP, EP

Number of blue cones/lights (ADN) : 0

#### - Rail transport

Classification code (RID) : SC4
Special provision (RID) : 182, 274
Limited quantities (RID) : 0
Excepted quantities (RID) : E2

Packing instructions (RID) : P410, IBC05

Mixed packing provisions (RID) : MP14

Portable tank and bulk container : T3

instructions (RID)

Portable tank and bulk container special : TP33

provisions (RID)

Tank codes for RID tanks (RID) : SGAN
Transport category (RID) : 2
Special provisions for carriage – Packages : W1

(RID)

Colis express (express parcels) (RID) : CE10 Hazard identification number (RID) : 48

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

POTASSIUM TERT-BUTOXIDE Extra Pure is not on the REACH Candidate List POTASSIUM TERT-BUTOXIDE Extra Pure is not on the REACH Annex XIV List

www.Labogens.com 09/04/2015 9/10

## Safety Data Sheet

### 15.1.2. National regulations

#### Germany

AwSV/VwVwS Annex reference : Water hazard class (WGK) 1, slightly hazardous to water (Classification according to

VwVwS, Annex 3; WGK No 3366)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BlmSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

#### Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

### 15.2. Chemical safety assessment

No additional information available

### **SECTION 16: Other information**

### Full text of R-, H- and EUH-phrases:

Flam. Sol. 1	Flammable solids, Category 1
Self-heat. 2	Self-Heating Substances and Mixtures, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
H228	Flammable solid
H252	Self-heating in large quantities; may catch fire
H314	Causes severe skin burns and eye damage
R11	Highly flammable
R14	Reacts violently with water
R35	Causes severe burns
С	Corrosive
F	Highly flammable

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 09/04/2015 10/10