
SULPHUR DIOXIDE AQUEOUS SOLUTION 5-6% EXTRA PURE MSDS





MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product form	: Mixture :	
CAS No	: 7782-99-2	
Product code	: 6187B	
Chemical structure	H_2SO_3	
Synonyms	: Sulfurous anhydride / Sulfurous acid	
1.2. Relevant identified uses of the	substance or mixture and uses advised against	
1.2.1. Relevant identified uses		
Use of the substance/mixture	: Laboratory chemicals, Manufacture of substances	
1.2.2. Uses advised against		
No additional information available		
1.3. Details of the supplier of the sa	fety data sheet	
Labogens Fine Chem Industries 1st Floor , Above Bank of India, Guru Vihar , Rahon Road, Ludhiana Pb. (141007) +91 9316777775, +91 7707855700 sales@labogens.com - www.Labogens.com		
1.4. Emergency telephone number		
Emergency number	: +91 7707855700 (9:00am - 6:00 pm)	
SECTION 2: Hazards identification		
2.1. Classification of the substance	or mixture	
Classification according to Directive 67/548/EEC or 1999/45/EC Xn; R20 Xi; R36/38		

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Safety Data Sheet

2.2. Label elements

Labelling according to Directive	67/548/EEC or 1999/45/EC
----------------------------------	--------------------------

Hazard symbols



Xn - Harmful
: R20 - Harmful by inhalation R36/38 - Irritating to eyes and skin
 S24 - Avoid contact with skin S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice S35 - This material and its container must be disposed of in a safe way S36/37 - Wear suitable protective clothing and gloves S51 - Use only in well-ventilated areas S59 - Refer to manufacturer/supplier for information on recovery/recycling

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients		
3.1.	Substance	
Not ap	plicable	

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Water	(CAS No) 7732-18- 5 (EC no) 231-791-2	75 - 99	Not classified	Not classified
Sulphur dioxide	(CAS No) 7446-09- 5 (EC no) 231-195-2 (EC index no) 016- 011-00-9	5 - 10	T; R23 C; R34	Acute Tox. 3 (Inhalation), H331 Eye Dam. 1, H318 Liquefied gas, H280

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Give oxygen or
	artificial respiration if necessary. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see on this label).
www.Labogens.com	09/04/2015 2/10

Safety Data Sheet

First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
First-aid measures after ingestion	: Rinse mouth out with water. If you feel unwell, seek medical advice.
4.2. Most important symptoms and e	effects, both acute and delayed
Symptoms/injuries	: Causes severe skin burns and eye damage.
4.3. Indication of any immediate med	dical attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the	e substance or mixture
No additional information available	
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment.
SECTION 6: Accidental release measure	S
6.1. Personal precautions, protective	e equipment and emergency procedures
6.1.1. For non-emergency personnel Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Use personal protective equipment as required.
Emergency procedures	: Stop release.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for contai	nment and cleaning up
Methods for cleaning up	: Collect spillage. On land, sweep or shovel into suitable containers. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
6.4. Reference to other sections	
No additional information available	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Do not get in eyes, on skin, or on clothing.
Hygiene measures	: Wash thoroughly after handling.
7.2. Conditions for safe storage, inc	luding any incompatibilities
Storage conditions	: Store in original container. Keep container tightly closed. Store in a dry place. Protect from moisture.
7.3. Specific end use(s) No additional information available	
SECTION 8: Exposure controls/personal	protection
8.1. Control parameters	
No additional information available	

Safety Data Sheet

8.2. Exposure controls	
Hand protection	: protective gloves
Eye protection	: Chemical goggles or safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear respiratory protection
SECTION 9: Physical and chemical prop	erties
9.1. Information on basic physical a	nd chemical properties
Physical state	: Liquid
Molecular mass	: 82.08 g/mol
Colour	: Clear Colorless.
Odour	: pungent odor of sulfur dioxide.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.03 g/cm³
Solubility	: Water: Miscible in water
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

Safety Data Sheet

9.2. Other information		
No additional information available		
SECTION 10: Stability and reactivity		
10.1. Reactivity		
No additional information available		
10.2. Chemical stability		
Stable under normal conditions.		
Stable under normal conditions.		
10.3. Possibility of hazardous reactio	ns	
No additional information available		
10.4. Conditions to avoid		
Direct sunlight. Open flame.		
10.5. Incompatible materials		
No additional information available		
10.6. Hazardous decomposition prod	ucts	
No additional information available		
SECTION 11: Toxicological information		
11.1. Information on toxicological effe	octe	
	6013	
Acute toxicity	: Harmful by inhalation.	
Irritation	: Irritating to eyes and skin.	
Corrosivity	: Not classified	
Sensitisation	: Not classified	
Repeated dose toxicity	: Not classified	
Carcinogenicity	: Not classified	

- Mutagenicity : Not classified
- Toxicity for reproduction : Not classified

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

Safety Data Sheet

Salety Data Sheet	
12.4. Mobility in soil	
-	
No additional information available	
12.5. Results of PBT and vPvB asses	ssment
No additional information available	
12.6. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
No additional information available	
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IA	
14.1. UN number	
UN-No. (ADR)	: 1833
UN-No. (IMDG)	: 1833
UN-No.(IATA)	: 1833
UN-No.(ADN)	: 1833
UN-No. (RID)	: 1833
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: SULPHUROUS ACID
Proper Shipping Name (IMDG)	: SULPHUROUS ACID
Proper Shipping Name (IATA)	: SULPHUROUS ACID
Proper Shipping Name (ADN)	: SULPHUROUS ACID
Proper Shipping Name (RID)	: SULPHUROUS ACID
Transport document description (ADR)	: UN 1833 SULPHUROUS ACID, 8, II, (E)
Transport document description (IMDG)	: UN 1833 SULPHUROUS ACID, 8, II
Transport document description (IATA)	: UN 1833 SULPHUROUS ACID, 8, II
Transport document description (ADN)	: UN 1833 SULPHUROUS ACID, 8, II
Transport document description (RID)	: UN 1833 SULPHUROUS ACID, 8, II
14.3. Transport hazard class(es)	
ADR	_
Transport hazard class(es) (ADR)	: 8
Danger labels (ADR)	: 8




:8 :8

IMDG

Transport hazard class(es) (IMDG)	
Danger labels (IMDG)	

Safety Data Sheet



ΙΑΤΑ

Transport hazard class(es) (IATA) Hazard labels (IATA)



Transport hazard class(es) (ADN) Danger labels (ADN)

RID

Transport hazard class(es) (RID) Danger labels (RID)

14.4. Packing group	
Packing group (ADR)	: 11
Packing group (IMDG)	: 11
Packing group (IATA)	: 11
Packing group (ADN)	: 11
Packing group (RID)	: 11
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR)	: C1
Limited quantities (ADR)	: 1L
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP15

Safety Data Sheet

Portable tank and bulk container instructions (ADR)	:	Τ7
Portable tank and bulk container special provisions (ADR)	:	TP2
Tank code (ADR)	:	L4BN
Vehicle for tank carriage	:	AT
Transport category (ADR)	:	2
Hazard identification number (Kemler No.)	:	80
Orange plates	:	80
		1833
Tunnel restriction code (ADR)	:	E
EAC code	:	2R
- Transport by sea		
Limited quantities (IMDG)	:	1 L
Excepted quantities (IMDG)	:	E2
Packing instructions (IMDG)	:	P001
IBC packing instructions (IMDG)	:	IBC02
Tank instructions (IMDG)	:	Τ7
Tank special provisions (IMDG)	:	TP2
EmS-No. (Fire)	:	F-A
EmS-No. (Spillage)	:	S-B
Stowage category (IMDG)	:	В
Stowage and handling (IMDG)	:	SW2
MFAG-No	:	154
- Air transport		
PCA Excepted quantities (IATA)	:	E2
PCA Limited quantities (IATA)	:	Y840
PCA limited quantity max net quantity (IATA)	:	0.5L
PCA packing instructions (IATA)		851
PCA max net quantity (IATA)	:	1L
CAO packing instructions (IATA)	:	855
CAO max net quantity (IATA)	:	30L
ERG code (IATA)	:	8L
- Inland waterway transport		• <i>i</i>
Classification code (ADN)		C1
Limited quantities (ADN)		1 L
Excepted quantities (ADN)		E2
Equipment required (ADN)		PP, EP
Number of blue cones/lights (ADN)	•	0
- Rail transport	_	04
Classification code (RID)		C1
Limited quantities (RID)		1L
Excepted quantities (RID)	:	E2 P001, IBC02
Packing instructions (RID) Mixed packing provisions (RID)		MP15
Portable tank and bulk container	:	T7
instructions (RID)	•	
Portable tank and bulk container special provisions (RID)	:	TP2

Safety Data Sheet

Tank codes for RID tanks (RID)	: L4BN
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE6
Hazard identification number (RID)	: 80

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

15.1.2. National regulations

Germany

AwSV/VwVwS Annex reference	: Water hazard class (WGK) 1, slightly hazardous to water (Classification according to AwSV, Annex 1)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)
Denmark	
Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Liquefied gas	Gases under pressure : Liquefied gas
H280	Contains gas under pressure; may explode if heated
H318	Causes serious eye damage
H331	Toxic if inhaled
R20	Harmful by inhalation
R23	Toxic by inhalation

www.Labogens.com

Safety Data Sheet

R34	Causes burns
R36/38	Irritating to eyes and skin
С	Corrosive
Т	Toxic
Xi	Irritant
Xn	Harmful

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product