TERT-BUTYLDIMETHYLSILYL CHLORIDE FOR SYNTHESIS MSDS

CAS No: 18162-48-6 MSDS



MATERIAL SAFETY DATA SHEET (MSDS)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

:

EC no : 242-042-4
CAS No : 18162-48-6
Product code : 2385D

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Laboratory chemicals, Manufacture of substances

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Labogens Fine Chem Industries
1st Floor , Above Bank of India, Guru Vihar , Rahon Road,
Ludhiana Pb. (141007)
+91 9316777775, +91 7707855700
sales@labogens.com - www.Labogens.com

1.4. Emergency telephone number

Emergency number : +91 7707855700 (9:00am - 6:00 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, H314

Category 1B

Flammable solids, H228

Category 2

Full text of classification categories and H statements : see section 16

Classification according to Directive 67/548/EEC or 1999/45/EC

C; R34 R10

Full text of R-phrases: see section 16

www.Labogens.com 13/05/2016 1/10

Safety Data Sheet

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. **Label elements**

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS05

Signal word (CLP) : Danger

Hazard statements (CLP) : H228 - Flammable solid

H314 - Causes severe skin burns and eye damage

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition Precautionary statements (CLP)

sources. No smoking

P280 - Wear protective gloves, protective clothing, eye protection, face protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a doctor

Other hazards 2.3.

No additional information available

SECTION 3: Composition/information on ingredients

Substance 3.1.

Name : tert-BUTYLDIMETHYLSILYL CHLORIDE for Synthesis

CAS No : 18162-48-6 EC no : 242-042-4

Full text of R- and H-phrases: see section 16

3.2. **Mixture**

Not applicable

SECTION 4: First aid measures

Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

First-aid measures after skin contact : Get medical advice/attention. Wash with plenty of soap and water.

First-aid measures after eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or First-aid measures after ingestion doctor/physician.

13/05/2016 2/10 www.Labogens.com

Safety Data Sheet

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable solid.

Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory

protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked

lights. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Soak up spills with inert solids,

such as clay or diatomaceous earth as soon as possible.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling

: Do not breathe vapours. Keep away from sources of ignition - No smoking. Avoid contact with skin and eyes. Provide good ventilation in process area to prevent

formation of vapour.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before

eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/... equipment. Comply with applicable regulations.

Storage conditions : Keep in fireproof place. Store in a well-ventilated place.

Incompatible materials : Heat sources.

www.Labogens.com 13/05/2016 3/10

Safety Data Sheet

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Hand protection : Protective gloves

Eye protection : Chemical goggles or face shield
Skin and body protection : Wear suitable protective clothing
Respiratory protection : Wear respiratory protection

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Colour : Colorless to white crystals.

Odour : No data available

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 86 - 89 °C

Freezing point : No data available

Boiling point : No data available

Flash point : 22 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : Flammable Solid

Flammable solid

Vapour pressure : No data available

Relative vapour density at 20 $^{\circ}\text{C}$: No data available

Relative density : No data available

Density : 0.87 g/cm³
Solubility : Water: Insoluble

Log Pow : No data available

www.Labogens.com 13/05/2016 4/10

Safety Data Sheet

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates: Corrosive vapours.

10.2. Chemical stability

Flammable solid. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Moisture. Air contact. Direct sunlight.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases. Thermal decomposition generates: Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes severe skin burns and eye damage.
Serious eye damage/irritation : Serious eye damage, category 1, implicit

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

www.Labogens.com 13/05/2016 5/10

Safety Data Sheet

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose of contents/container to ...

Additional information

: Handle empty containers with care because residual vapours are flammable.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

 UN-No. (ADR)
 : 2925

 UN-No. (IMDG)
 : 2925

 UN-No.(IATA)
 : 2925

 UN-No.(ADN)
 : 2925

 UN-No. (RID)
 : 2925

14.2. UN proper shipping name

Proper Shipping Name (ADR)

: FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S.

Proper Shipping Name (IMDG)

: FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S.

Proper Shipping Name (IATA)

: FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S.

Proper Shipping Name (ADN)

: FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S.

Proper Shipping Name (RID)

: FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S.

Transport document description (ADR)

: UN 2925 FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S., 4.1 (8), II, (E)

Transport document description (IMDG)

: UN 2925 FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S., 4.1 (8), II

: UN 2925 FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S., 4.1, II

Transport document description (ADN)

: UN 2925 FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S., 4.1 (8), II

www.Labogens.com 13/05/2016 6/10

Safety Data Sheet

Transport document description (RID) : UN 2925 FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S., 4.1 (8), II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 4.1 (8)
Danger labels (ADR) : 4.1, 8





IMDG

Transport hazard class(es) (IMDG) : 4.1 (8)
Danger labels (IMDG) : 4.1, 8





IATA

Transport hazard class(es) (IATA) : 4.1 (8) Hazard labels (IATA) : 4.1, 8





ADN

Transport hazard class(es) (ADN) : 4.1 (8)
Danger labels (ADN) : 4.1, 8





RID

Transport hazard class(es) (RID) : 4.1 (8)
Danger labels (RID) : 4.1, 8





14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II

www.Labogens.com 13/05/2016 7/10

Safety Data Sheet

Packing group (RID) : II

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : FC1
Special provision (ADR) : 274
Limited quantities (ADR) : 1kg
Excepted quantities (ADR) : E2

Packing instructions (ADR) : P002, IBC06
Mixed packing provisions (ADR) : MP10
Portable tank and bulk container : T3

in oftable talk and bulk

instructions (ADR)

: TP33

Portable tank and bulk container special provisions (ADR)

Tank code (ADR) : SGAN
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Packages : V11

(ADR)

Hazard identification number (Kemler No.) : 48

Orange plates

48 2925

Tunnel restriction code (ADR) : E EAC code : 1W

- Transport by sea

Special provision (IMDG) : 274, 915 Limited quantities (IMDG) : 1 ka Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P002 IBC packing instructions (IMDG) : IBC06 IBC special provisions (IMDG) : B2 Tank instructions (IMDG) : T3 Tank special provisions (IMDG) : TP33 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-G Stowage category (IMDG) : D : SW2 Stowage and handling (IMDG) MFAG-No : 134

- Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y441
PCA limited quantity max net quantity : 5kg
(IATA)

PCA packing instructions (IATA) : 445
PCA max net quantity (IATA) : 15kg

www.Labogens.com 13/05/2016 8/10

Safety Data Sheet

CAO packing instructions (IATA) : 448
CAO max net quantity (IATA) : 50kg
Special provision (IATA) : A3
ERG code (IATA) : 3C

- Inland waterway transport

Classification code (ADN) : FC1
Special provisions (ADN) : 274
Limited quantities (ADN) : 1 kg
Excepted quantities (ADN) : E2
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 1

- Rail transport

Classification code (RID) : FC1
Special provision (RID) : 274
Limited quantities (RID) : 1kg
Excepted quantities (RID) : E2

Packing instructions (RID) : P002, IBC06

Mixed packing provisions (RID) : MP10
Portable tank and bulk container : T3

instructions (RID)

Portable tank and bulk container special : TP33

provisions (RID)

Tank codes for RID tanks (RID) : SGAN Transport category (RID) : 2
Special provisions for carriage – Packages : W1

(RID)

Colis express (express parcels) (RID) : CE10 Hazard identification number (RID) : 48

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

tert-BUTYLDIMETHYLSILYL CHLORIDE for Synthesis is not on the REACH Candidate List tert-BUTYLDIMETHYLSILYL CHLORIDE for Synthesis is not on the REACH Annex XIV List

15.1.2. National regulations

Germany

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance) Immission Control Act - 12.BlmSchV

www.Labogens.com 13/05/2016 9/10

Safety Data Sheet

Denmark

Class for fire hazard : Class II-1 Store unit : 5 liter

Classification remarks : R10 <H228;H314>; Emergency management guidelines for the storage of

flammable liquids must be followed

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Flam. Sol. 2	Flammable solids, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
H228	Flammable solid
H314	Causes severe skin burns and eye damage
R10	Flammable
R34	Causes burns
С	Corrosive

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

www.Labogens.com 13/05/2016 10/10